

BACKGROUND AND NOTES ON THE 2015 TABLES FOR YOUTH

These tables provide detailed survey results from the October 2015 Statewide survey of people without permanent shelter. The data are provided to help planners and service providers develop summary information about the characteristics of homeless people, their experiences and needs, and the barriers that prevent them from obtaining housing.

For actual counts of people who were homeless on October 22, 2015, see the report *Statewide and Region Counts of Homeless People* found at http://mnhomeless.org/minnesota-homeless-study/detailed-data-counts/2015/All-2015-Homeless-Counts_3-16.pdf. Other reports regarding the 2015 homeless study are published at www.mnhomeless.org as they are available.

To fit with legislation, we have defined these segments of the youth homeless population as follows:

- **Unaccompanied minors:** age 17 and under and not with their parents.
- **Young adults:** age 18 through 24.
- **Youth** combines both groups to describe all homeless persons ages 17 and under and on their own.

Interviews were conducted on October 22, 2015 with 213 unaccompanied minors, ages 17 and under, including 119 in temporary housing programs and 94 in non-shelter locations. These minors had a total of 5 children with them. In addition, interviews were conducted with 1,250 young adults, ages 18 through 24, including 889 in temporary housing programs and 361 in non-shelter locations. Young adult respondents had a total of 539 children with them.

NOTES FOR INTERPRETING THE DATA TABLES

Tables report frequency distributions for all questions included in the survey. There are two sets of data tables about homeless youth. The first includes breakdowns by geographic area (Twin Cities metro area vs. greater Minnesota), **by gender, and by shelter type** (emergency shelter, transitional housing programs, and temporary arrangements/street). **The second includes break-downs by age grouping** (minors vs. young adults) **and by geographic area** (Twin Cities metro area vs. greater Minnesota) The metro region includes the following counties: Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington. Temporary arrangements include outside, abandoned buildings, staying with friends or family members, and temporary paid, exchange, or voucher arrangements.

The data tables are organized by question. Within each question, data tables display the responses for greater Minnesota, the Twin Cities metro area, and statewide. For one set of data tables, they are also organized by shelter type (emergency shelter, transitional housing programs, and temporary arrangements/street) and gender; for the other, they are organized by age grouping (minor youth, age 17 and under vs. young adults, age 18-24).

The total number of responses is different for each question, based on the number of valid responses to that question. Missing data (cases when a respondent did not answer a question) are not reported or included in the percentages.

The percentages apply only to the respondents who were qualified to answer that question. Some tables report data that were collected only from those who answered a previous question in a certain way.

For example, many questions about children are asked only of those persons who have children with them, so the percentages apply only to that group.

The tables do not contain data for all homeless youth in Minnesota. Although efforts were made to interview as many persons as possible, not all homeless youth staying in shelter on October 22, 2015 were interviewed for this study. Based on counts of actual shelter use on survey night, 49 percent of youth were interviewed. Interviews are only conducted with one person per household and the survey is voluntary. In addition, youth are more likely to be sleeping in temporary arrangements with friends and less likely to be found in shelters. It was not feasible to cover the state to find all homeless youth staying in non-shelter locations. Consequently, this study describes primarily those homeless youth who are connected in some way to service providers and does not represent all youth experiencing homelessness on the date of the survey.

Unlike in the adult data tables, these data are not weighted. In the companion adult tables, survey results have been statistically adjusted to reflect the actual adult populations residing in shelters and transitional housing programs (1,502 men and 1,428 women) on the day of the survey. We do not weight the data in the youth tables. This is because many homeless youth do not use shelter and we do not want to over-represent the backgrounds and experiences of the small proportion of those using shelter during the one-night snapshot.

For questions about the study, please refer to our publications on homelessness at www.mnhomeless.org or contact michelle.gerrard@wilder.org.

2015 Homeless Youth - MN statewide survey data
Physical and mental health

163. During the last 12 months, did you have any of the following illnesses, conditions, or problems?

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
Greater Minnesota																			
Asthma	5	21.7%	6	20.7%	6	17.6%	9	13.8%	13	16.5%	13	15.9%	24	17.6%	28	15.9%	52	16.7%	
Tuberculosis (TB)	-	-	1	3.3%	-	-	-	-	1	1.3%	-	-	1	0.7%	1	0.6%	2	0.6%	
Other chronic lung or respiratory problems	1	4.3%	4	13.3%	2	5.7%	2	3.0%	4	5.1%	4	4.9%	7	5.1%	10	5.6%	17	5.4%	
Frostbite or trench foot	2	8.7%	2	6.7%	4	11.4%	1	1.5%	2	2.5%	2	2.4%	8	5.8%	5	2.8%	13	4.1%	
High blood pressure	3	13.6%	2	6.7%	1	3.1%	6	9.1%	7	8.9%	11	13.9%	11	8.3%	19	10.9%	30	9.7%	
Chronic heart or circulatory problems	1	4.2%	1	3.3%	-	-	5	7.6%	3	3.8%	5	6.1%	4	2.9%	11	6.2%	15	4.7%	
Diabetes	1	4.3%	-	-	-	-	1	1.5%	1	1.3%	2	2.4%	2	1.5%	3	1.7%	5	1.6%	
Hepatitis	2	8.7%	-	-	-	-	1	1.5%	1	1.3%	1	1.2%	3	2.2%	2	1.1%	5	1.6%	
Syphilis, gonorrhea, or another STI other than HIV/AIDS	2	8.3%	1	3.3%	-	-	6	9.4%	4	5.1%	4	4.9%	6	4.4%	11	6.3%	17	5.4%	
HIV or AIDS	-	-	-	-	-	-	1	1.5%	1	1.3%	-	-	1	0.7%	1	0.6%	2	0.6%	
Any chronic health conditions	10	41.7%	12	40.0%	8	22.2%	22	33.3%	24	28.9%	27	32.5%	42	29.4%	61	34.1%	103	32.0%	

The definition of any chronic health condition includes (asthma, tuberculosis, other chronic lung or respiratory problems, high blood pressure or other chronic heart / circulatory problems, diabetes, hepatitis, or HIV/AIDS).

2015 Homeless Youth - MN statewide survey data

Physical and mental health

163. During the last 12 months, did you have any of the following illnesses, conditions, or problems?

(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Asthma	9	16.4%	16	21.9%	9	25.7%	23	20.9%	28	26.4%	36	42.9%	46	23.5%	75	28.1%	121	26.1%
Tuberculosis (TB)	-	-	-	-	1	2.9%	-	-	-	-	-	-	1	0.5%	-	-	1	0.2%
Other chronic lung or respiratory problems	3	5.5%	3	4.1%	-	-	4	3.6%	6	5.7%	7	8.0%	9	4.6%	14	5.2%	23	4.9%
Frostbite or trench foot	2	3.6%	2	2.7%	1	2.9%	1	0.9%	6	5.7%	3	3.4%	9	4.6%	6	2.2%	15	3.2%
High blood pressure	6	11.5%	6	8.2%	1	2.9%	11	10.2%	13	12.5%	9	10.6%	20	10.5%	26	9.8%	46	10.1%
Chronic heart or circulatory problems	4	7.4%	9	12.3%	-	-	10	9.1%	2	1.9%	8	9.2%	6	3.1%	27	10.0%	33	7.1%
Diabetes	2	3.7%	3	4.1%	-	-	2	1.8%	1	1.0%	1	1.2%	3	1.5%	6	2.2%	9	1.9%
Hepatitis	1	1.8%	1	1.4%	-	-	-	-	1	0.9%	-	-	2	1.0%	1	0.4%	3	0.6%
Syphilis, gonorrhea, or another STI other than HIV/AIDS	1	1.8%	9	12.5%	-	-	14	13.0%	2	1.9%	6	6.8%	3	1.5%	29	10.8%	32	6.9%
HIV or AIDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Any chronic health conditions	17	30.4%	29	39.7%	11	30.6%	40	35.7%	43	39.4%	44	50.0%	71	35.3%	113	41.4%	184	38.8%

The definition of any chronic health condition includes (asthma, tuberculosis, other chronic lung or respiratory problems, high blood pressure or other chronic heart / circulatory problems, diabetes, hepatitis, or HIV/AIDS).

2015 Homeless Youth - MN statewide survey data

Physical and mental health

163. During the last 12 months, did you have any of the following illnesses, conditions, or problems?

(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Asthma	14	17.9%	22	21.6%	15	21.7%	32	18.3%	41	22.2%	49	29.5%	70	21.1%	103	23.3%	173	22.3%
Tuberculosis (TB)	-	-	1	1.0%	1	1.4%	-	-	1	0.5%	-	-	2	0.6%	1	0.2%	3	0.4%
Other chronic lung or respiratory problems	4	5.1%	7	6.8%	2	2.9%	6	3.4%	10	5.4%	11	6.5%	16	4.8%	24	5.4%	40	5.1%
Frostbite or trench foot	4	5.1%	4	3.9%	5	7.1%	2	1.1%	8	4.3%	5	3.0%	17	5.1%	11	2.5%	28	3.6%
High blood pressure	9	12.2%	8	7.8%	2	3.0%	17	9.8%	20	10.9%	20	12.2%	31	9.6%	45	10.2%	76	9.9%
Chronic heart or circulatory problems	5	6.4%	10	9.7%	-	-	15	8.5%	5	2.7%	13	7.7%	10	3.0%	38	8.5%	48	6.2%
Diabetes	3	3.9%	3	2.9%	-	-	3	1.7%	2	1.1%	3	1.8%	5	1.5%	9	2.0%	14	1.8%
Hepatitis	3	3.8%	1	1.0%	-	-	1	0.6%	2	1.1%	1	0.6%	5	1.5%	3	0.7%	8	1.0%
Syphilis, gonorrhea, or another STI other than HIV/AIDS	3	3.8%	10	9.8%	-	-	20	11.6%	6	3.3%	10	5.9%	9	2.7%	40	9.0%	49	6.3%
HIV or AIDS	-	-	-	-	-	-	1	0.6%	1	0.5%	-	-	1	0.3%	1	0.2%	2	0.3%
Any chronic health conditions	27	33.8%	41	39.8%	19	26.4%	62	34.8%	67	34.9%	71	41.5%	113	32.8%	174	38.5%	287	36.1%

The definition of any chronic health condition includes (asthma, tuberculosis, other chronic lung or respiratory problems, high blood pressure or other chronic heart / circulatory problems, diabetes, hepatitis, or HIV/AIDS).

2015 Homeless Youth - MN statewide survey data
Physical and mental health

164. For those who reported having the illness, condition or problem: Proportion who received care for it in the last 12 months.

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
Greater Minnesota																			
Asthma	1	20.0%	4	66.7%	3	50.0%	5	55.6%	4	30.8%	11	84.6%	8	33.3%	20	71.4%	28	53.8%	
Tuberculosis (TB)	-	-	1	100%	-	-	-	-	1	100%	-	-	1	100.0%	1	100.0%	2	100.0%	
Other chronic lung or respiratory problems	1	100%	3	75.0%	1	50.0%	2	100%	2	50.0%	4	100%	4	57.1%	9	90.0%	13	76.5%	
Frostbite or trench foot	1	50.0%	-	-	-	-	-	-	2	100%	-	-	3	37.5%	-	-	3	23.1%	
High blood pressure	1	33.3%	1	50.0%	1	100%	3	60.0%	2	33.3%	5	45.5%	4	40.0%	9	50.0%	13	46.4%	
Chronic heart or circulatory problems	-	-	1	100%	-	-	2	40.0%	2	66.7%	3	60.0%	2	50.0%	6	54.5%	8	53.3%	
Diabetes	-	-	-	-	-	-	1	100%	-	-	1	50.0%	-	-	2	66.7%	2	40.0%	
Hepatitis	1	50.0%	-	-	-	-	-	-	-	-	1	100%	1	33.3%	1	50.0%	2	40.0%	
Syphilis, gonorrhea, or another STI other than HIV/AIDS	2	100%	1	100%	-	-	6	100%	4	100%	4	100%	6	100.0%	11	100.0%	17	100.0%	
HIV or AIDS	-	-	-	-	-	-	1	100%	1	100%	-	-	1	100.0%	1	100.0%	2	100.0%	
All chronic health conditions treated	3	30.0%	8	66.7%	5	62.5%	12	54.5%	10	41.7%	17	63.0%	18	42.9%	37	60.7%	55	53.4%	

2015 Homeless Youth - MN statewide survey data
Physical and mental health

164. For those who reported having the illness, condition or problem: Proportion who received care for it in the last 12 months.
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Asthma	5	62.5%	10	62.5%	4	44.4%	12	54.5%	15	53.6%	24	66.7%	24	53.3%	46	62.2%	70	58.8%
Tuberculosis (TB)	-	-	-	-	1	100%	-	-	-	-	-	-	1	100.0%	-	-	1	100.0%
Other chronic lung or respiratory problems	3	100%	2	66.7%	-	-	3	75.0%	2	33.3%	4	57.1%	5	55.6%	9	64.3%	14	60.9%
Frostbite or trench foot	-	-	-	-	-	-	-	-	4	66.7%	2	66.7%	4	44.4%	2	33.3%	6	40.0%
High blood pressure	3	50.0%	3	50.0%	1	100%	8	72.7%	5	41.7%	6	66.7%	9	47.4%	17	65.4%	26	57.8%
Chronic heart or circulatory problems	2	50.0%	7	77.8%	-	-	10	100%	1	50.0%	6	75.0%	3	50.0%	23	85.2%	26	78.8%
Diabetes	-	-	2	66.7%	-	-	2	100%	-	-	1	100%	-	-	5	83.3%	5	71.4%
Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis, gonorrhea, or another STI other than HIV/AIDS	1	100%	9	100%	-	-	12	100%	2	100%	6	100%	3	100.0%	27	100.0%	30	100.0%
HIV or AIDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All chronic health conditions treated	8	47.1%	18	62.1%	6	54.5%	27	67.5%	19	44.2%	27	61.4%	33	46.5%	72	63.7%	105	57.1%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

164. For those who reported having the illness, condition or problem: Proportion who received care for it in the last 12 months.
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Asthma	6	46.2%	14	63.6%	7	46.7%	17	54.8%	19	46.3%	35	71.4%	32	46.4%	66	64.7%	98	57.3%
Tuberculosis (TB)	-	-	1	100%	1	100%	-	-	1	100%	-	-	2	100.0%	1	100.0%	3	100.0%
Other chronic lung or respiratory problems	4	100%	5	71.4%	1	50.0%	5	83.3%	4	40.0%	8	72.7%	9	56.3%	18	75.0%	27	67.5%
Frostbite or trench foot	1	25.0%	-	-	-	-	-	-	6	75.0%	2	40.0%	7	41.2%	2	18.2%	9	32.1%
High blood pressure	4	44.4%	4	50.0%	2	100%	11	68.8%	7	38.9%	11	55.0%	13	44.8%	26	59.1%	39	53.4%
Chronic heart or circulatory problems	2	40.0%	8	80.0%	-	-	12	80.0%	3	60.0%	9	69.2%	5	50.0%	29	76.3%	34	70.8%
Diabetes	-	-	2	66.7%	-	-	3	100%	-	-	2	66.7%	-	-	7	77.8%	7	58.3%
Hepatitis	1	33.3%	-	-	-	-	-	-	-	-	1	100%	1	20.0%	1	50.0%	2	28.6%
Syphilis, gonorrhea, or another STI other than HIV/AIDS	3	100%	10	100%	-	-	18	100%	6	100%	10	100%	9	100.0%	38	100.0%	47	100.0%
HIV or AIDS	-	-	-	-	-	-	1	100%	1	100%	-	-	1	100.0%	1	100.0%	2	100.0%
All chronic health conditions treated	11	40.7%	26	63.4%	11	57.9%	39	62.9%	29	43.3%	44	62.0%	51	45.1%	109	62.6%	160	55.7%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

165. Do you feel that you need to see a health professional about any physical health problems?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	4	17.4%	8	28.6%	6	17.1%	15	22.7%	20	25.0%	22	26.5%	30	21.7%	45	25.4%	75	23.8%
No	19	82.6%	20	71.4%	29	82.9%	51	77.3%	60	75.0%	61	73.5%	108	78.3%	132	74.6%	240	76.2%
Total	23	100%	28	100%	35	100%	66	100%	80	100%	83	100%	138	100.0%	177	100.0%	315	100.0%

165. Do you feel that you need to see a health professional about any physical health problems?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	13	23.6%	10	13.7%	9	25.7%	30	27.5%	27	25.2%	27	31.4%	49	24.9%	67	25.0%	116	24.9%
No	42	76.4%	63	86.3%	26	74.3%	79	72.5%	80	74.8%	59	68.6%	148	75.1%	201	75.0%	349	75.1%
Total	55	100%	73	100%	35	100%	109	100%	107	100%	86	100%	197	100.0%	268	100.0%	465	100.0%

165. Do you feel that you need to see a health professional about any physical health problems?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	17	21.8%	18	17.8%	15	21.4%	45	25.7%	47	25.1%	49	29.0%	79	23.6%	112	25.2%	191	24.5%
No	61	78.2%	83	82.2%	55	78.6%	130	74.3%	140	74.9%	120	71.0%	256	76.4%	333	74.8%	589	75.5%
Total	78	100%	101	100%	70	100%	175	100%	187	100%	169	100%	335	100.0%	445	100.0%	780	100.0%

166. Do you feel that you need to see a health professional about any emotional or mental health problems?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	11	47.8%	10	34.5%	12	34.3%	17	25.8%	18	23.1%	29	37.2%	41	30.1%	56	32.4%	97	31.4%
No	12	52.2%	19	65.5%	23	65.7%	49	74.2%	60	76.9%	49	62.8%	95	69.9%	117	67.6%	212	68.6%
Total	23	100%	29	100%	35	100%	66	100%	78	100%	78	100%	136	100.0%	173	100.0%	309	100.0%

166. Do you feel that you need to see a health professional about any emotional or mental health problems?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	14	25.5%	20	27.8%	5	14.3%	39	36.1%	29	26.9%	34	41.0%	48	24.2%	93	35.4%	141	30.6%
No	41	74.5%	52	72.2%	30	85.7%	69	63.9%	79	73.1%	49	59.0%	150	75.8%	170	64.6%	320	69.4%
Total	55	100%	72	100%	35	100%	108	100%	108	100%	83	100%	198	100.0%	263	100.0%	461	100.0%

166. Do you feel that you need to see a health professional about any emotional or mental health problems?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	25	32.1%	30	29.7%	17	24.3%	56	32.2%	47	25.3%	63	39.1%	89	26.6%	149	34.2%	238	30.9%
No	53	67.9%	71	70.3%	53	75.7%	118	67.8%	139	74.7%	98	60.9%	245	73.4%	287	65.8%	532	69.1%
Total	78	100%	101	100%	70	100%	174	100%	186	100%	161	100%	334	100.0%	436	100.0%	770	100.0%

167. Do you feel that you need to see a health professional about any alcohol or drug problems?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	4	16.7%	2	6.7%	3	8.6%	3	4.6%	5	6.3%	2	2.5%	12	8.6%	7	4.0%	19	6.1%
No	20	83.3%	28	93.3%	32	91.4%	62	95.4%	75	93.8%	78	97.5%	127	91.4%	168	96.0%	295	93.9%
Total	24	100%	30	100%	35	100%	65	100%	80	100%	80	100%	139	100.0%	175	100.0%	314	100.0%

167. Do you feel that you need to see a health professional about any alcohol or drug problems?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	4	7.4%	4	5.5%	2	5.7%	4	3.7%	8	7.5%	6	6.8%	14	7.1%	14	5.2%	28	6.0%
No	50	92.6%	69	94.5%	33	94.3%	104	96.3%	99	92.5%	82	93.2%	182	92.9%	255	94.8%	437	94.0%
Total	54	100%	73	100%	35	100%	108	100%	107	100%	88	100%	196	100.0%	269	100.0%	465	100.0%

167. Do you feel that you need to see a health professional about any alcohol or drug problems?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	8	10.3%	6	5.8%	5	7.1%	7	4.0%	13	7.0%	8	4.8%	26	7.8%	21	4.7%	47	6.0%
No	70	89.7%	97	94.2%	65	92.9%	166	96.0%	174	93.0%	160	95.2%	309	92.2%	423	95.3%	732	94.0%
Total	78	100%	103	100%	70	100%	173	100%	187	100%	168	100%	335	100.0%	444	100.0%	779	100.0%

168. Do you feel that you need to see a dentist about tooth or gum problems?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	11	47.8%	14	50.0%	14	40.0%	24	36.4%	31	38.8%	36	43.9%	56	40.6%	74	42.0%	130	41.4%
No	12	52.2%	14	50.0%	21	60.0%	42	63.6%	49	61.3%	46	56.1%	82	59.4%	102	58.0%	184	58.6%
Total	23	100%	28	100%	35	100%	66	100%	80	100%	82	100%	138	100.0%	176	100.0%	314	100.0%

168. Do you feel that you need to see a dentist about tooth or gum problems?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	27	49.1%	31	42.5%	17	48.6%	53	48.6%	52	48.1%	46	52.9%	96	48.5%	130	48.3%	226	48.4%
No	28	50.9%	42	57.5%	18	51.4%	56	51.4%	56	51.9%	41	47.1%	102	51.5%	139	51.7%	241	51.6%
Total	55	100%	73	100%	35	100%	109	100%	108	100%	87	100%	198	100.0%	269	100.0%	467	100.0%

168. Do you feel that you need to see a dentist about tooth or gum problems?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	38	48.7%	45	44.6%	31	44.3%	77	44.0%	83	44.1%	82	48.5%	152	45.2%	204	45.8%	356	45.6%
No	40	51.3%	56	55.4%	39	55.7%	98	56.0%	105	55.9%	87	51.5%	184	54.8%	241	54.2%	425	54.4%
Total	78	100%	101	100%	70	100%	175	100%	188	100%	169	100%	336	100.0%	445	100.0%	781	100.0%

2015 Homeless Youth - MN statewide survey data

Physical and mental health

169. Is there anything that prevents you from getting needed health care?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	9	42.9%	11	36.7%	7	20.0%	15	22.7%	25	31.3%	21	26.3%	41	30.1%	47	26.7%	88	28.2%
No	12	57.1%	19	63.3%	28	80.0%	51	77.3%	55	68.8%	59	73.8%	95	69.9%	129	73.3%	224	71.8%
Total	21	100%	30	100%	35	100%	66	100%	80	100%	80	100%	136	100.0%	176	100.0%	312	100.0%

169. Is there anything that prevents you from getting needed health care?

(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	9	16.7%	16	22.9%	11	32.4%	33	30.3%	39	36.8%	35	41.2%	59	30.4%	84	31.8%	143	31.2%
No	45	83.3%	54	77.1%	23	67.6%	76	69.7%	67	63.2%	50	58.8%	135	69.6%	180	68.2%	315	68.8%
Total	54	100%	70	100%	34	100%	109	100%	106	100%	85	100%	194	100.0%	264	100.0%	458	100.0%

169. Is there anything that prevents you from getting needed health care?

(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	18	24.0%	27	27.0%	18	26.1%	48	27.4%	64	34.4%	56	33.9%	100	30.3%	131	29.8%	231	30.0%
No	57	76.0%	73	73.0%	51	73.9%	127	72.6%	122	65.6%	109	66.1%	230	69.7%	309	70.2%	539	70.0%
Total	75	100%	100	100%	69	100%	175	100%	186	100%	165	100%	330	100.0%	440	100.0%	770	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

170. For those who are not getting needed health care, what is the main reason that you do not get the health care you need?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
No insurance	3	33.3%	6	54.5%	5	71.4%	4	26.7%	11	44.0%	5	23.8%	19	46.3%	15	31.9%	34	38.6%
No money	1	11.1%	2	18.2%	-	-	3	20.0%	3	12.0%	3	14.3%	4	9.8%	8	17.0%	12	13.6%
Don't know where to go	2	22.2%	1	9.1%	-	-	-	-	5	20.0%	3	14.3%	7	17.1%	4	8.5%	11	12.5%
Rather not go	1	11.1%	-	-	2	28.6%	2	13.3%	3	12.0%	2	9.5%	6	14.6%	4	8.5%	10	11.4%
No transportation	-	-	1	9.1%	-	-	1	6.7%	1	4.0%	5	23.8%	1	2.4%	7	14.9%	8	9.1%
Insurance problems (qualifying for or limited coverage)	1	11.1%	-	-	-	-	1	6.7%	1	4.0%	1	4.8%	2	4.9%	2	4.3%	4	4.5%
The care I need isn't available	1	11.1%	1	9.1%	-	-	-	-	-	-	1	4.8%	1	2.4%	2	4.3%	3	3.4%
Something else (not specified or multiple responses)	-	-	-	-	-	-	-	-	1	4.0%	1	4.8%	1	2.4%	1	2.1%	2	2.3%
Barriers to accessing health care / insurance	-	-	-	-	-	-	2	13.3%	-	-	-	-	-	-	2	4.3%	2	2.3%
Distrust of health care providers / medication	-	-	-	-	-	-	1	6.7%	-	-	-	-	-	-	1	2.1%	1	1.1%
Mental illness / depression	-	-	-	-	-	-	1	6.7%	-	-	-	-	-	-	1	2.1%	1	1.1%
Total	9	100%	11	100%	7	100%	15	100%	25	100%	21	100%	41	100.0%	47	100.0%	88	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

170. For those who are not getting needed health care, what is the main reason that you do not get the health care you need?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
No insurance	4	44.4%	7	43.8%	7	63.6%	9	28.1%	18	46.2%	10	28.6%	29	49.2%	26	31.3%	55	38.7%
No money	2	22.2%	4	25.0%	-	-	2	6.3%	6	15.4%	6	17.1%	8	13.6%	12	14.5%	20	14.1%
No transportation	-	-	1	6.3%	-	-	6	18.8%	5	12.8%	6	17.1%	5	8.5%	13	15.7%	18	12.7%
Don't know where to go	1	11.1%	1	6.3%	-	-	5	15.6%	2	5.1%	6	17.1%	3	5.1%	12	14.5%	15	10.6%
Barriers to accessing health care / insurance	1	11.1%	1	6.3%	1	9.1%	4	12.5%	1	2.6%	1	2.9%	3	5.1%	6	7.2%	9	6.3%
Rather not go	-	-	1	6.3%	2	18.2%	2	6.3%	1	2.6%	2	5.7%	3	5.1%	5	6.0%	8	5.6%
Insurance problems (qualifying for or limited coverage)	-	-	-	-	-	-	3	9.4%	1	2.6%	2	5.7%	1	1.7%	5	6.0%	6	4.2%
Something else (not specified or multiple responses)	-	-	-	-	-	-	1	3.1%	2	5.1%	1	2.9%	2	3.4%	2	2.4%	4	2.8%
Reason not clear	-	-	1	6.3%	-	-	-	-	1	2.6%	1	2.9%	1	1.7%	2	2.4%	3	2.1%
Personal Reasons	-	-	-	-	1	9.1%	-	-	1	2.6%	-	-	2	3.4%	-	-	2	1.4%
System structure	1	11.1%	-	-	-	-	-	-	-	-	-	-	1	1.7%	-	-	1	0.7%
The care I need isn't available	-	-	-	-	-	-	-	-	1	2.6%	-	-	1	1.7%	-	-	1	0.7%
Total	9	100%	16	100%	11	100%	32	100%	39	100%	35	100%	59	100.0%	83	100.0%	142	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

170. For those who are not getting needed health care, what is the main reason that you do not get the health care you need?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
No insurance	7	38.9%	13	48.1%	12	66.7%	13	27.7%	29	45.3%	15	26.8%	48	48.0%	41	31.5%	89	38.7%
No money	3	16.7%	6	22.2%	-	-	5	10.6%	9	14.1%	9	16.1%	12	12.0%	20	15.4%	32	13.9%
No transportation	-	-	2	7.4%	-	-	7	14.9%	6	9.4%	11	19.6%	6	6.0%	20	15.4%	26	11.3%
Don't know where to go	3	16.7%	2	7.4%	-	-	5	10.6%	7	10.9%	9	16.1%	10	10.0%	16	12.3%	26	11.3%
Rather not go	1	5.6%	1	3.7%	4	22.2%	4	8.5%	4	6.3%	4	7.1%	9	9.0%	9	6.9%	18	7.8%
Barriers to accessing health care / insurance	1	5.6%	1	3.7%	1	5.6%	6	12.8%	1	1.6%	1	1.8%	3	3.0%	8	6.2%	11	4.8%
Insurance problems (qualifying for or limited coverage)	1	5.6%	-	-	-	-	4	8.5%	2	3.1%	3	5.4%	3	3.0%	7	5.4%	10	4.3%
Something else (not specified or multiple responses)	-	-	-	-	-	-	1	2.1%	3	4.7%	2	3.6%	3	3.0%	3	2.3%	6	2.6%
The care I need isn't available	1	5.6%	1	3.7%	-	-	-	-	1	1.6%	1	1.8%	2	2.0%	2	1.5%	4	1.7%
Reason not clear	-	-	1	3.7%	-	-	-	-	1	1.6%	1	1.8%	1	1.0%	2	1.5%	3	1.3%
Personal Reasons	-	-	-	-	1	5.6%	-	-	1	1.6%	-	-	2	2.0%	-	-	2	0.9%
Distrust of health care providers / medication	-	-	-	-	-	-	1	2.1%	-	-	-	-	-	-	1	0.8%	1	0.4%
Mental illness / depression	-	-	-	-	-	-	1	2.1%	-	-	-	-	-	-	1	0.8%	1	0.4%
System structure	1	5.6%	-	-	-	-	-	-	-	-	-	-	1	1.0%	-	-	1	0.4%
Total	18	100%	27	100%	18	100%	47	100%	64	100%	56	100%	100	100.0%	130	100.0%	230	100.0%

171. Are there any medications or prescriptions you are supposed to be taking now that you are not taking?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	9	37.5%	12	40.0%	8	22.9%	21	32.3%	22	27.5%	17	20.7%	39	28.1%	50	28.2%	89	28.2%
No	15	62.5%	18	60.0%	27	77.1%	44	67.7%	58	72.5%	65	79.3%	100	71.9%	127	71.8%	227	71.8%
Total	24	100%	30	100%	35	100%	65	100%	80	100%	82	100%	139	100.0%	177	100.0%	316	100.0%

171. Are there any medications or prescriptions you are supposed to be taking now that you are not taking?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	8	14.8%	13	17.8%	7	20.6%	22	20.2%	26	24.5%	24	27.9%	41	21.1%	59	22.0%	100	21.6%
No	46	85.2%	60	82.2%	27	79.4%	87	79.8%	80	75.5%	62	72.1%	153	78.9%	209	78.0%	362	78.4%
Total	54	100%	73	100%	34	100%	109	100%	106	100%	86	100%	194	100.0%	268	100.0%	462	100.0%

171. Are there any medications or prescriptions you are supposed to be taking now that you are not taking?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	17	21.8%	25	24.3%	15	21.7%	43	24.7%	48	25.8%	41	24.4%	80	24.0%	109	24.5%	189	24.3%
No	61	78.2%	78	75.7%	54	78.3%	131	75.3%	138	74.2%	127	75.6%	253	76.0%	336	75.5%	589	75.7%
Total	78	100%	103	100%	69	100%	174	100%	186	100%	168	100%	333	100.0%	445	100.0%	778	100.0%

2015 Homeless Youth - MN statewide survey data

Physical and mental health

172. For those who report not taking their needed medication, what kind of illness or problem is the medication for?

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
<i>Greater Minnesota</i>																			
A physical problem	4	44.4%	4	33.3%	-	-	5	23.8%	4	18.2%	4	23.5%	8	20.5%	13	26.0%	21	23.6%	
A mental health problem	6	66.7%	9	75.0%	6	75.0%	18	85.7%	18	81.8%	13	76.5%	30	76.9%	40	80.0%	70	78.7%	
A substance abuse problem	1	11.1%	-	-	-	-	-	-	1	4.5%	-	-	2	5.1%	-	-	2	2.2%	

172. For those who report not taking their needed medication, what kind of illness or problem is the medication for?

(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
<i>Metro</i>																			
A physical problem	2	25.0%	1	7.7%	1	14.3%	7	33.3%	8	32.0%	8	33.3%	11	27.5%	16	27.6%	27	27.6%	
A mental health problem	8	100%	10	76.9%	7	100%	16	76.2%	18	72.0%	17	73.9%	33	82.5%	43	75.4%	76	78.4%	
A substance abuse problem	-	-	-	-	-	-	1	4.8%	-	-	-	-	-	-	1	1.7%	1	1.0%	

172. For those who report not taking their needed medication, what kind of illness or problem is the medication for?

(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
<i>Statewide</i>																			
A physical problem	6	35.3%	5	20.0%	1	6.7%	12	28.6%	12	25.5%	12	29.3%	19	24.1%	29	26.9%	48	25.7%	
A mental health problem	14	82.4%	19	76.0%	13	86.7%	34	81.0%	36	76.6%	30	75.0%	63	79.7%	83	77.6%	146	78.5%	
A substance abuse problem	1	5.9%	-	-	-	-	1	2.4%	1	2.2%	-	-	2	2.6%	1	0.9%	3	1.6%	

2015 Homeless Youth - MN statewide survey data
Physical and mental health

173. Do you have a regular place where you go for medical care?

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	9	37.5%	22	75.9%	19	54.3%	55	83.3%	40	50.6%	62	78.5%	68	49.3%	139	79.9%	207	66.3%
No	15	62.5%	7	24.1%	16	45.7%	11	16.7%	39	49.4%	17	21.5%	70	50.7%	35	20.1%	105	33.7%
Total	24	100%	29	100%	35	100%	66	100%	79	100%	79	100%	138	100.0%	174	100.0%	312	100.0%

173. Do you have a regular place where you go for medical care?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	28	51.9%	41	56.9%	13	37.1%	80	73.4%	48	45.7%	47	56.0%	89	45.9%	168	63.4%	257	56.0%
No	26	48.1%	31	43.1%	22	62.9%	29	26.6%	57	54.3%	37	44.0%	105	54.1%	97	36.6%	202	44.0%
Total	54	100%	72	100%	35	100%	109	100%	105	100%	84	100%	194	100.0%	265	100.0%	459	100.0%

173. Do you have a regular place where you go for medical care?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	37	47.4%	63	62.4%	32	45.7%	135	77.1%	88	47.8%	109	66.9%	157	47.3%	307	69.9%	464	60.2%
No	41	52.6%	38	37.6%	38	54.3%	40	22.9%	96	52.2%	54	33.1%	175	52.7%	132	30.1%	307	39.8%
Total	78	100%	101	100%	70	100%	175	100%	184	100%	163	100%	332	100.0%	439	100.0%	771	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

174. For those who report having a regular place to go for health care, what type of place is it?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
A clinic that requires insurance or fees	6	66.7%	15	68.2%	14	73.7%	45	81.8%	24	60.0%	41	66.1%	44	64.7%	101	72.7%	145	70.0%
A free clinic	1	11.1%	3	13.6%	-	-	3	5.5%	5	12.5%	7	11.3%	6	8.8%	13	9.4%	19	9.2%
Indian Health Service	1	11.1%	2	9.1%	1	5.3%	1	1.8%	4	10.0%	9	14.5%	6	8.8%	12	8.6%	18	8.7%
The emergency room	1	11.1%	2	9.1%	-	-	4	7.3%	4	10.0%	2	3.2%	5	7.4%	8	5.8%	13	6.3%
Other or not specified	-	-	-	-	4	21.1%	1	1.8%	2	5.0%	3	4.8%	6	8.8%	4	2.9%	10	4.8%
Urgent Care	-	-	-	-	-	-	1	1.8%	1	2.5%	-	-	1	1.5%	1	0.7%	2	1.0%
Total	9	100%	22	100%	19	100%	55	100%	40	100%	62	100%	68	100.0%	139	100.0%	207	100.0%

174. For those who report having a regular place to go for health care, what type of place is it?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
A clinic that requires insurance or fees	21	75.0%	26	63.4%	9	69.2%	66	82.5%	23	47.9%	29	61.7%	53	59.6%	121	72.0%	174	67.7%
A free clinic	3	10.7%	10	24.4%	3	23.1%	7	8.8%	14	29.2%	12	25.5%	20	22.5%	29	17.3%	49	19.1%
The emergency room	2	7.1%	2	4.9%	1	7.7%	5	6.3%	9	18.8%	1	2.1%	12	13.5%	8	4.8%	20	7.8%
Other or not specified	-	-	-	-	-	-	1	1.3%	1	2.1%	4	8.5%	1	1.1%	5	3.0%	6	2.3%
Indian Health Service	1	3.6%	1	2.4%	-	-	-	-	1	2.1%	1	2.1%	2	2.2%	2	1.2%	4	1.6%
Medical center	-	-	2	4.9%	-	-	-	-	-	-	-	-	-	-	2	1.2%	2	0.8%
Hospital	1	3.6%	-	-	-	-	-	-	-	-	-	-	1	1.1%	-	-	1	0.4%
Urgent Care	-	-	-	-	-	-	1	1.3%	-	-	-	-	-	-	1	0.6%	1	0.4%
Total	28	100%	41	100%	13	100%	80	100%	48	100%	47	100%	89	100.0%	168	100.0%	257	100.0%

174. For those who report having a regular place to go for health care, what type of place is it?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
A clinic that requires insurance or fees	27	73.0%	41	65.1%	23	71.9%	111	82.2%	47	53.4%	70	64.2%	97	61.8%	222	72.3%	319	68.8%
A free clinic	4	10.8%	13	20.6%	3	9.4%	10	7.4%	19	21.6%	19	17.4%	26	16.6%	42	13.7%	68	14.7%
The emergency room	3	8.1%	4	6.3%	1	3.1%	9	6.7%	13	14.8%	3	2.8%	17	10.8%	16	5.2%	33	7.1%
Indian Health Service	2	5.4%	3	4.8%	1	3.1%	1	0.7%	5	5.7%	10	9.2%	8	5.1%	14	4.6%	22	4.7%
Other or not specified	-	-	-	-	4	12.5%	2	1.5%	3	3.4%	7	6.4%	7	4.5%	9	2.9%	16	3.4%
Urgent Care	-	-	-	-	-	-	2	1.5%	1	1.1%	-	-	1	0.6%	2	0.7%	3	0.6%
Medical center	-	-	2	3.2%	-	-	-	-	-	-	-	-	-	-	2	0.7%	2	0.4%
Hospital	1	2.7%	-	-	-	-	-	-	-	-	-	-	1	0.6%	-	-	1	0.2%
Total	37	100%	63	100%	32	100%	135	100%	88	100%	109	100%	157	100.0%	307	100.0%	464	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

175. Did you receive care in an emergency room in past 6 months?

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	8	33.3%	10	33.3%	8	22.9%	31	47.0%	24	30.0%	38	46.3%	40	28.8%	79	44.4%	119	37.5%
No	16	66.7%	20	66.7%	27	77.1%	35	53.0%	56	70.0%	44	53.7%	99	71.2%	99	55.6%	198	62.5%
Total	24	100%	30	100%	35	100%	66	100%	80	100%	82	100%	139	100.0%	178	100.0%	317	100.0%

175. Did you receive care in an emergency room in past 6 months?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	14	25.9%	30	41.1%	6	17.1%	57	52.3%	36	33.6%	44	51.2%	56	28.6%	131	48.9%	187	40.3%
No	40	74.1%	43	58.9%	29	82.9%	52	47.7%	71	66.4%	42	48.8%	140	71.4%	137	51.1%	277	59.7%
Total	54	100%	73	100%	35	100%	109	100%	107	100%	86	100%	196	100.0%	268	100.0%	464	100.0%

175. Did you receive care in an emergency room in past 6 months?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	22	28.2%	40	38.8%	14	20.0%	88	50.3%	60	32.1%	82	48.8%	96	28.7%	210	47.1%	306	39.2%
No	56	71.8%	63	61.2%	56	80.0%	87	49.7%	127	67.9%	86	51.2%	239	71.3%	236	52.9%	475	60.8%
Total	78	100%	103	100%	70	100%	175	100%	187	100%	168	100%	335	100.0%	446	100.0%	781	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

176. For those who received care in an emergency room in the past 6 months, how many times?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
1 time	4	57.1%	2	22.2%	5	71.4%	12	38.7%	12	50.0%	16	43.2%	21	55.3%	30	39.0%	51	44.3%
2 times	1	14.3%	1	11.1%	1	14.3%	10	32.3%	4	16.7%	11	29.7%	6	15.8%	22	28.6%	28	24.3%
3 times	-	-	3	33.3%	1	14.3%	3	9.7%	3	12.5%	4	10.8%	4	10.5%	10	13.0%	14	12.2%
4 times	1	14.3%	1	11.1%	-	-	5	16.1%	3	12.5%	3	8.1%	4	10.5%	9	11.7%	13	11.3%
5 times	-	-	1	11.1%	-	-	1	3.2%	-	-	-	-	-	-	2	2.6%	2	1.7%
7 times	-	-	-	-	-	-	-	-	-	-	1	2.7%	-	-	1	1.3%	1	0.9%
9 times	-	-	-	-	-	-	-	-	1	4.2%	1	2.7%	1	2.6%	1	1.3%	2	1.7%
10 times	1	14.3%	1	11.1%	-	-	-	-	-	-	-	-	1	2.6%	1	1.3%	2	1.7%
12 times	-	-	-	-	-	-	-	-	1	4.2%	1	2.7%	1	2.6%	1	1.3%	2	1.7%
Total	7	100%	9	100%	7	100%	31	100%	24	100%	37	100%	38	100.0%	77	100.0%	115	100.0%

	Emergency shelter / Domestic violence shelter		Transitional housing / Rapid Re-housing		Non-shelter locations		Greater Minnesota		
	Male	Female	Male	Female	Male	Female	Male	Female	Total
Mean (times in ER)	3	4	1	2	3	2	2	2	2
Median (times in ER)	1	3	1	2	2	2	1	2	2

176. For those who received care in an emergency room in the past 6 months, how many times?
(continued)

<i>Metro</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
1 time	3	21.4%	11	36.7%	1	16.7%	22	38.6%	16	44.4%	15	34.9%	20	35.7%	48	36.9%	68	36.6%
2 times	7	50.0%	10	33.3%	2	33.3%	14	24.6%	9	25.0%	13	30.2%	18	32.1%	37	28.5%	55	29.6%
3 times	2	14.3%	2	6.7%	1	16.7%	9	15.8%	6	16.7%	9	20.9%	9	16.1%	20	15.4%	29	15.6%
4 times	-	-	2	6.7%	1	16.7%	5	8.8%	1	2.8%	1	2.3%	2	3.6%	8	6.2%	10	5.4%
5 times	1	7.1%	4	13.3%	-	-	4	7.0%	3	8.3%	2	4.7%	4	7.1%	10	7.7%	14	7.5%
6 times	-	-	1	3.3%	1	16.7%	1	1.8%	-	-	1	2.3%	1	1.8%	3	2.3%	4	2.2%
7 times	-	-	-	-	-	-	1	1.8%	-	-	-	-	-	-	1	0.8%	1	0.5%
8 times	-	-	-	-	-	-	1	1.8%	-	-	-	-	-	-	1	0.8%	1	0.5%
10 times	-	-	-	-	-	-	-	-	-	-	1	2.3%	-	-	1	0.8%	1	0.5%
20 times	1	7.1%	-	-	-	-	-	-	1	2.8%	1	2.3%	2	3.6%	1	0.8%	3	1.6%
Total	14	100%	30	100%	6	100%	57	100%	36	100%	43	100%	56	100.0%	130	100.0%	186	100.0%

	Emergency shelter / Domestic violence shelter		Transitional housing / Rapid Re-housing		Non-shelter locations		Metro		
	Male	Female	Male	Female	Male	Female	Male	Female	Total
Mean (times in ER)	3	2	3	2	3	3	3	3	3
Median (times in ER)	2	2	3	2	2	2	2	2	2

2015 Homeless Youth - MN statewide survey data
Physical and mental health

176. For those who received care in an emergency room in the past 6 months, how many times?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
1 time	7	33.3%	13	33.3%	6	46.2%	34	38.6%	28	46.7%	31	38.8%	41	43.6%	78	37.7%	119	39.5%
2 times	8	38.1%	11	28.2%	3	23.1%	24	27.3%	13	21.7%	24	30.0%	24	25.5%	59	28.5%	83	27.6%
3 times	2	9.5%	5	12.8%	2	15.4%	12	13.6%	9	15.0%	13	16.3%	13	13.8%	30	14.5%	43	14.3%
4 times	1	4.8%	3	7.7%	1	7.7%	10	11.4%	4	6.7%	4	5.0%	6	6.4%	17	8.2%	23	7.6%
5 times	1	4.8%	5	12.8%	-	-	5	5.7%	3	5.0%	2	2.5%	4	4.3%	12	5.8%	16	5.3%
6 times	-	-	1	2.6%	1	7.7%	1	1.1%	-	-	1	1.3%	1	1.1%	3	1.4%	4	1.3%
7 times	-	-	-	-	-	-	1	1.1%	-	-	1	1.3%	-	-	2	1.0%	2	0.7%
8 times	-	-	-	-	-	-	1	1.1%	-	-	-	-	-	-	1	0.5%	1	0.3%
9 times	-	-	-	-	-	-	-	-	1	1.7%	1	1.3%	1	1.1%	1	0.5%	2	0.7%
10 times	1	4.8%	1	2.6%	-	-	-	-	-	-	1	1.3%	1	1.1%	2	1.0%	3	1.0%
12 times	-	-	-	-	-	-	-	-	1	1.7%	1	1.3%	1	1.1%	1	0.5%	2	0.7%
20 times	1	4.8%	-	-	-	-	-	-	1	1.7%	1	1.3%	2	2.1%	1	0.5%	3	1.0%
Total	21	100%	39	100%	13	100%	88	100%	60	100%	80	100%	94	100.0%	207	100.0%	301	100.0%

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
Mean (times in ER)	3		3		2		2		3		3		3		2		3	
Median (times in ER)	2		2		2		2		2		2		2		2		2	

177. For those who received care in an emergency room in the past 6 months, how many times have those visits resulted in a hospital admission?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
No hospital admissions	5	71.4%	5	55.6%	6	85.7%	22	71.0%	14	58.3%	32	84.2%	25	65.8%	59	75.6%	84	72.4%
1 hospital admission	1	14.3%	3	33.3%	1	14.3%	9	29.0%	6	25.0%	6	15.8%	8	21.1%	18	23.1%	26	22.4%
2 hospital admissions	1	14.3%	1	11.1%	-	-	-	-	1	4.2%	-	-	2	5.3%	1	1.3%	3	2.6%
3 hospital admissions	-	-	-	-	-	-	-	-	1	4.2%	-	-	1	2.6%	-	-	1	0.9%
4 hospital admissions	-	-	-	-	-	-	-	-	2	8.3%	-	-	2	5.3%	-	-	2	1.7%
Total	7	100%	9	100%	7	100%	31	100%	24	100%	38	100%	38	100.0%	78	100.0%	116	100.0%

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
Mean (hospital admissions)	0		1		0		0		1		0		1		0		0	
Median (hospital admissions)	0		0		0		0		0		0		0		0		0	

177. For those who received care in an emergency room in the past 6 months, how many times have those visits resulted in a hospital admission?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
No hospital admissions	9	75.0%	19	65.5%	5	83.3%	41	71.9%	21	60.0%	23	57.5%	35	66.0%	83	65.9%	118	65.9%
1 hospital admission	2	16.7%	8	27.6%	1	16.7%	10	17.5%	13	37.1%	11	27.5%	16	30.2%	29	23.0%	45	25.1%
2 hospital admissions	1	8.3%	2	6.9%	-	-	3	5.3%	1	2.9%	4	10.0%	2	3.8%	9	7.1%	11	6.1%
3 hospital admissions	-	-	-	-	-	-	-	-	-	-	1	2.5%	-	-	1	0.8%	1	0.6%
4 hospital admissions	-	-	-	-	-	-	1	1.8%	-	-	-	-	-	-	1	0.8%	1	0.6%
5 hospital admissions	-	-	-	-	-	-	1	1.8%	-	-	1	2.5%	-	-	2	1.6%	2	1.1%
8 hospital admissions	-	-	-	-	-	-	1	1.8%	-	-	-	-	-	-	1	0.8%	1	0.6%
Total	12	100%	29	100%	6	100%	57	100%	35	100%	40	100%	53	100.0%	126	100.0%	179	100.0%

	Emergency shelter / Domestic violence shelter		Transitional housing / Rapid Re-housing		Non-shelter locations		Metro		
	Male	Female	Male	Female	Male	Female	Male	Female	Total
Mean (hospital admissions)	0	0	0	1	0	1	0	1	1
Median (hospital admissions)	0	0	0	0	0	0	0	0	0

177. For those who received care in an emergency room in the past 6 months, how many times have those visits resulted in a hospital admission?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
No hospital admissions	14	73.7%	24	63.2%	11	84.6%	63	71.6%	35	59.3%	55	70.5%	60	65.9%	142	69.6%	202	68.5%
1 hospital admission	3	15.8%	11	28.9%	2	15.4%	19	21.6%	19	32.2%	17	21.8%	24	26.4%	47	23.0%	71	24.1%
2 hospital admissions	2	10.5%	3	7.9%	-	-	3	3.4%	2	3.4%	4	5.1%	4	4.4%	10	4.9%	14	4.7%
3 hospital admissions	-	-	-	-	-	-	-	-	1	1.7%	1	1.3%	1	1.1%	1	0.5%	2	0.7%
4 hospital admissions	-	-	-	-	-	-	1	1.1%	2	3.4%	-	-	2	2.2%	1	0.5%	3	1.0%
5 hospital admissions	-	-	-	-	-	-	1	1.1%	-	-	1	1.3%	-	-	2	1.0%	2	0.7%
8 hospital admissions	-	-	-	-	-	-	1	1.1%	-	-	-	-	-	-	1	0.5%	1	0.3%
Total	19	100%	38	100%	13	100%	88	100%	59	100%	78	100%	91	100.0%	204	100.0%	295	100.0%

	Emergency shelter / Domestic violence shelter		Transitional housing / Rapid Re-housing		Non-shelter locations		Statewide		
	Male	Female	Male	Female	Male	Female	Male	Female	Total
Mean (hospital admissions)	0	0	0	0	1	0	0	0	0
Median (hospital admissions)	0	0	0	0	0	0	0	0	0

2015 Homeless Youth - MN statewide survey data

Physical and mental health

178. Do you have a physical, mental, or other health condition that limits the kind or amount of work you can do?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	8	34.8%	4	13.8%	9	26.5%	11	16.9%	15	19.5%	17	21.3%	32	23.9%	32	18.4%	64	20.8%
No	15	65.2%	25	86.2%	25	73.5%	54	83.1%	62	80.5%	63	78.8%	102	76.1%	142	81.6%	244	79.2%
Total	23	100%	29	100%	34	100%	65	100%	77	100%	80	100%	134	100.0%	174	100.0%	308	100.0%

178. Do you have a physical, mental, or other health condition that limits the kind or amount of work you can do?

(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	21	38.2%	9	12.9%	3	8.6%	19	17.3%	19	18.3%	20	23.3%	43	22.2%	48	18.0%	91	19.8%
No	34	61.8%	61	87.1%	32	91.4%	91	82.7%	85	81.7%	66	76.7%	151	77.8%	218	82.0%	369	80.2%
Total	55	100%	70	100%	35	100%	110	100%	104	100%	86	100%	194	100.0%	266	100.0%	460	100.0%

178. Do you have a physical, mental, or other health condition that limits the kind or amount of work you can do?

(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	29	37.2%	13	13.1%	12	17.4%	30	17.1%	34	18.8%	37	22.3%	75	22.9%	80	18.2%	155	20.2%
No	49	62.8%	86	86.9%	57	82.6%	145	82.9%	147	81.2%	129	77.7%	253	77.1%	360	81.8%	613	79.8%
Total	78	100%	99	100%	69	100%	175	100%	181	100%	166	100%	328	100.0%	440	100.0%	768	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

179. Do you have a physical, mental, or other health condition that makes it hard for you to bathe, eat, get dressed, get in or out of bed, or get around by yourself?

<i>Greater Minnesota</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	2	8.3%	2	6.7%	4	11.4%	2	3.0%	4	5.1%	5	6.2%	10	7.2%	9	5.1%	19	6.0%
No	22	91.7%	28	93.3%	31	88.6%	64	97.0%	75	94.9%	76	93.8%	128	92.8%	168	94.9%	296	94.0%
Total	24	100%	30	100%	35	100%	66	100%	79	100%	81	100%	138	100.0%	177	100.0%	315	100.0%

179. Do you have a physical, mental, or other health condition that makes it hard for you to bathe, eat, get dressed, get in or out of bed, or get around by yourself?
(continued)

<i>Metro</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	5	9.1%	5	6.8%	1	2.9%	7	6.4%	9	8.5%	10	11.4%	15	7.7%	22	8.1%	37	7.9%
No	50	90.9%	68	93.2%	34	97.1%	103	93.6%	97	91.5%	78	88.6%	181	92.3%	249	91.9%	430	92.1%
Total	55	100%	73	100%	35	100%	110	100%	106	100%	88	100%	196	100.0%	271	100.0%	467	100.0%

179. Do you have a physical, mental, or other health condition that makes it hard for you to bathe, eat, get dressed, get in or out of bed, or get around by yourself?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	7	8.9%	7	6.8%	5	7.1%	9	5.1%	13	7.0%	15	8.9%	25	7.5%	31	6.9%	56	7.2%
No	72	91.1%	96	93.2%	65	92.9%	167	94.9%	172	93.0%	154	91.1%	309	92.5%	417	93.1%	726	92.8%
Total	79	100%	103	100%	70	100%	176	100%	185	100%	169	100%	334	100.0%	448	100.0%	782	100.0%

180. Do you often feel confused or have trouble remembering things or have problems making decisions, to the point that it interferes with daily activities?

<i>Greater Minnesota</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	10	45.5%	8	26.7%	8	22.9%	13	19.7%	24	30.8%	25	30.9%	42	31.1%	46	26.0%	88	28.2%
No	12	54.5%	22	73.3%	27	77.1%	53	80.3%	54	69.2%	56	69.1%	93	68.9%	131	74.0%	224	71.8%
Total	22	100%	30	100%	35	100%	66	100%	78	100%	81	100%	135	100.0%	177	100.0%	312	100.0%

180. Do you often feel confused or have trouble remembering things or have problems making decisions, to the point that it interferes with daily activities?
(continued)

<i>Metro</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	21	38.9%	11	15.1%	6	17.1%	26	24.5%	29	27.6%	28	32.2%	56	28.9%	65	24.4%	121	26.3%
No	33	61.1%	62	84.9%	29	82.9%	80	75.5%	76	72.4%	59	67.8%	138	71.1%	201	75.6%	339	73.7%
Total	54	100%	73	100%	35	100%	106	100%	105	100%	87	100%	194	100.0%	266	100.0%	460	100.0%

180. Do you often feel confused or have trouble remembering things or have problems making decisions, to the point that it interferes with daily activities?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
Statewide																			
Yes	31	40.8%	19	18.4%	14	20.0%	39	22.7%	53	29.0%	53	31.5%	98	29.8%	111	25.1%	209	27.1%	
No	45	59.2%	84	81.6%	56	80.0%	133	77.3%	130	71.0%	115	68.5%	231	70.2%	332	74.9%	563	72.9%	
Total	76	100%	103	100%	70	100%	172	100%	183	100%	168	100%	329	100.0%	443	100.0%	772	100.0%	

181. Have you ever been hit in the head so hard that you saw stars or were knocked unconscious?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	11	47.8%	10	33.3%	19	55.9%	21	31.8%	42	52.5%	29	36.7%	72	52.6%	60	34.3%	132	42.3%
No	12	52.2%	20	66.7%	15	44.1%	45	68.2%	38	47.5%	50	63.3%	65	47.4%	115	65.7%	180	57.7%
Total	23	100%	30	100%	34	100%	66	100%	80	100%	79	100%	137	100.0%	175	100.0%	312	100.0%

181. Have you ever been hit in the head so hard that you saw stars or were knocked unconscious?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	26	48.1%	15	20.5%	10	28.6%	39	35.8%	41	38.7%	30	36.1%	77	39.5%	84	31.7%	161	35.0%
No	28	51.9%	58	79.5%	25	71.4%	70	64.2%	65	61.3%	53	63.9%	118	60.5%	181	68.3%	299	65.0%
Total	54	100%	73	100%	35	100%	109	100%	106	100%	83	100%	195	100.0%	265	100.0%	460	100.0%

181. Have you ever been hit in the head so hard that you saw stars or were knocked unconscious?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	37	48.1%	25	24.3%	29	42.0%	60	34.3%	83	44.6%	59	36.4%	149	44.9%	144	32.7%	293	38.0%
No	40	51.9%	78	75.7%	40	58.0%	115	65.7%	103	55.4%	103	63.6%	183	55.1%	296	67.3%	479	62.0%
Total	77	100%	103	100%	69	100%	175	100%	186	100%	162	100%	332	100.0%	440	100.0%	772	100.0%

182. For those who report a head injury, after your head injury did you start having problems with headaches, concentration or memory, understanding, excessive worry, sleeping, or getting along with people?

<i>Greater Minnesota</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	6	60.0%	4	50.0%	6	35.3%	7	36.8%	17	40.5%	14	51.9%	29	42.0%	25	46.3%	54	43.9%
No	4	40.0%	4	50.0%	11	64.7%	12	63.2%	25	59.5%	13	48.1%	40	58.0%	29	53.7%	69	56.1%
Total	10	100%	8	100%	17	100%	19	100%	42	100%	27	100%	69	100.0%	54	100.0%	123	100.0%

182. For those who report a head injury, after your head injury did you start having problems with headaches, concentration or memory, understanding, excessive worry, sleeping, or getting along with people?
(continued)

<i>Metro</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	12	48.0%	8	53.3%	4	40.0%	24	64.9%	25	62.5%	22	75.9%	41	54.7%	54	66.7%	95	60.9%
No	13	52.0%	7	46.7%	6	60.0%	13	35.1%	15	37.5%	7	24.1%	34	45.3%	27	33.3%	61	39.1%
Total	25	100%	15	100%	10	100%	37	100%	40	100%	29	100%	75	100.0%	81	100.0%	156	100.0%

182. For those who report a head injury, after your head injury did you start having problems with headaches, concentration or memory, understanding, excessive worry, sleeping, or getting along with people?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
<i>Statewide</i>																			
Yes	18	51.4%	12	52.2%	10	37.0%	31	55.4%	42	51.2%	36	64.3%	70	48.6%	79	58.5%	149	53.4%	
No	17	48.6%	11	47.8%	17	63.0%	25	44.6%	40	48.8%	20	35.7%	74	51.4%	56	41.5%	130	46.6%	
Total	35	100%	23	100%	27	100%	56	100%	82	100%	56	100%	144	100.0%	135	100.0%	279	100.0%	

183. For those who reported a head injury, how old were you when you were injured?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
17 years or younger	10	90.9%	6	60.0%	13	72.2%	10	50.0%	34	82.9%	19	70.4%	57	81.4%	35	61.4%	92	72.4%
18 to 21 years	-	-	2	20.0%	5	27.8%	10	50.0%	6	14.6%	7	25.9%	11	15.7%	19	33.3%	30	23.6%
22 to 24 years	1	9.1%	2	20.0%	-	-	-	-	1	2.4%	1	3.7%	2	2.9%	3	5.3%	5	3.9%
Total	11	100%	10	100%	18	100%	20	100%	41	100%	27	100%	70	100.0%	57	100.0%	127	100.0%

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
Mean	11		13		14		15		12		13		13		14		13	
Median	12		16		14		17		13		15		13		15		14	

183. For those who reported a head injury, how old were you when you were injured?
(continued)

<i>Metro</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
17 years or younger	16	72.7%	11	73.3%	10	100%	21	61.8%	30	78.9%	19	67.9%	56	80.0%	51	66.2%	107	72.8%
18 to 21 years	2	9.1%	2	13.3%	-	-	11	32.4%	6	15.8%	9	32.1%	8	11.4%	22	28.6%	30	20.4%
22 to 24 years	4	18.2%	2	13.3%	-	-	2	5.9%	2	5.3%	-	-	6	8.6%	4	5.2%	10	6.8%
Total	22	100%	15	100%	10	100%	34	100%	38	100%	28	100%	70	100.0%	77	100.0%	147	100.0%

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
Mean	15		14		13		15		14		13		14		14		14	
Median	15		14		13		16		15		13		15		14		14	

183. For those who reported a head injury, how old were you when you were injured?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
17 years or younger	26	78.8%	17	68.0%	23	82.1%	31	57.4%	64	81.0%	38	69.1%	113	80.7%	86	64.2%	199	72.6%
18 to 21 years	2	6.1%	4	16.0%	5	17.9%	21	38.9%	12	15.2%	16	29.1%	19	13.6%	41	30.6%	60	21.9%
22 to 24 years	5	15.2%	4	16.0%	-	-	2	3.7%	3	3.8%	1	1.8%	8	5.7%	7	5.2%	15	5.5%
Total	33	100%	25	100%	28	100%	54	100%	79	100%	55	100%	140	100.0%	134	100.0%	274	100.0%

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
Mean	14		13		13		15		13		13		13		14		14	
Median	15		14		14		16		14		13		14		14		14	

184. In the past 2 years, have you been told by a doctor or nurse that you have a concussion or Traumatic Brain Injury (TBI)?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	6	26.1%	3	10.0%	5	14.3%	2	3.0%	10	12.5%	5	6.1%	21	15.2%	10	5.6%	31	9.8%
No	17	73.9%	27	90.0%	30	85.7%	64	97.0%	70	87.5%	77	93.9%	117	84.8%	168	94.4%	285	90.2%
Total	23	100%	30	100%	35	100%	66	100%	80	100%	82	100%	138	100.0%	178	100.0%	316	100.0%

184. In the past 2 years, have you been told by a doctor or nurse that you have a concussion or Traumatic Brain Injury (TBI)?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	3	5.6%	4	5.6%	2	5.9%	6	5.7%	10	9.5%	7	8.0%	15	7.8%	17	6.4%	32	7.0%
No	51	94.4%	68	94.4%	32	94.1%	100	94.3%	95	90.5%	80	92.0%	178	92.2%	248	93.6%	426	93.0%
Total	54	100%	72	100%	34	100%	106	100%	105	100%	87	100%	193	100.0%	265	100.0%	458	100.0%

184. In the past 2 years, have you been told by a doctor or nurse that you have a concussion or Traumatic Brain Injury (TBI)?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	9	11.7%	7	6.9%	7	10.1%	8	4.7%	20	10.8%	12	7.1%	36	10.9%	27	6.1%	63	8.1%
No	68	88.3%	95	93.1%	62	89.9%	164	95.3%	165	89.2%	157	92.9%	295	89.1%	416	93.9%	711	91.9%
Total	77	100%	102	100%	69	100%	172	100%	185	100%	169	100%	331	100.0%	443	100.0%	774	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

185. In the past 2 years, have you been told by a doctor or nurse that you have any of the following mental health conditions?*

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
Greater Minnesota																			
Schizophrenia	3	12.5%	1	3.3%	3	8.6%	-	-	7	8.8%	-	-	13	9.4%	1	0.6%	14	4.4%	
Other paranoid or delusional disorder	2	8.7%	-	-	3	8.6%	1	1.5%	5	6.3%	3	3.7%	10	7.2%	4	2.3%	14	4.4%	
Bipolar disorder (manic episodes / depression)	5	21.7%	6	20.0%	6	18.2%	9	13.8%	17	21.5%	23	28.0%	28	20.7%	38	21.5%	66	21.2%	
Major depression	7	31.8%	8	26.7%	10	29.4%	21	31.8%	29	36.3%	37	45.7%	46	33.8%	66	37.3%	112	35.8%	
Anti-social, obsessive-compulsive, or other severe personality disorder	7	30.4%	3	10.0%	8	23.5%	4	6.1%	13	16.3%	22	27.2%	28	20.4%	29	16.4%	57	18.2%	
Post-Traumatic Stress Disorder (PTSD)	7	30.4%	7	23.3%	8	22.9%	18	27.3%	21	26.3%	27	33.8%	36	26.1%	52	29.5%	88	28.0%	
Anxiety or panic disorder	10	45.5%	16	53.3%	11	32.4%	26	39.4%	29	36.3%	47	58.0%	50	36.8%	89	50.3%	139	44.4%	
Any of the above recent mental health diagnoses	13	54.2%	19	63.3%	19	52.8%	37	56.1%	48	57.8%	53	63.9%	80	55.9%	109	60.9%	189	58.7%	
Alcohol abuse disorder	4	16.7%	3	10.0%	4	11.4%	4	6.1%	15	18.8%	6	7.3%	23	16.5%	13	7.3%	36	11.4%	
Drug abuse disorder	6	25.0%	4	13.3%	5	14.3%	9	13.6%	16	20.0%	11	13.4%	27	19.4%	24	13.5%	51	16.1%	
Any of the above recent chemical dependency diagnoses	6	25.0%	6	20.0%	6	16.7%	11	16.7%	18	21.7%	12	14.5%	30	21.0%	29	16.2%	59	18.3%	
Dual diagnosis - recent mental health AND chemical dependency	6	25.0%	6	20.0%	4	11.1%	9	13.6%	16	19.3%	11	13.3%	26	18.2%	26	14.5%	52	16.1%	
Alternative definition of significant mental illness*	17	70.8%	19	63.3%	20	55.6%	40	60.6%	49	59.0%	56	67.5%	86	60.1%	115	64.2%	201	62.4%	
Dual diagnosis - alternative MH definition* AND chemical dependency	6	25.0%	6	20.0%	4	11.1%	9	13.6%	16	19.3%	11	13.3%	26	18.2%	26	14.5%	52	16.1%	

Note: The alternative definition of significant mental illness includes in-patient and out-patient treatment in the past two years in addition to mental illnesses listed in this table.

2015 Homeless Youth - MN statewide survey data
Physical and mental health

185. In the past 2 years, have you been told by a doctor or nurse that you have any of the following mental health conditions?*
(continued)

<i>Metro</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Schizophrenia	3	5.6%	-	-	4	11.8%	-	-	9	8.7%	5	5.7%	16	8.3%	5	1.9%	21	4.6%
Other paranoid or delusional disorder	3	5.6%	2	2.8%	-	-	2	1.9%	7	6.7%	6	6.9%	10	5.2%	10	3.8%	20	4.4%
Bipolar disorder (manic episodes / depression)	13	24.1%	10	14.1%	3	8.8%	15	13.9%	23	22.1%	28	33.3%	39	20.3%	53	20.2%	92	20.2%
Major depression	18	32.7%	18	25.0%	7	20.6%	32	29.9%	27	25.7%	32	37.6%	52	26.8%	82	31.1%	134	29.3%
Anti-social, obsessive-compulsive, or other severe personality disorder	7	13.0%	3	4.2%	1	2.9%	11	10.4%	14	13.5%	9	10.5%	22	11.5%	23	8.7%	45	9.9%
Post-Traumatic Stress Disorder (PTSD)	14	25.5%	16	21.9%	1	2.9%	22	20.6%	19	18.1%	20	23.5%	34	17.5%	58	21.9%	92	20.0%
Anxiety or panic disorder	17	30.9%	18	24.7%	5	14.7%	34	31.8%	35	33.3%	35	41.7%	57	29.4%	87	33.0%	144	31.4%
Any of the above recent mental health diagnoses	28	50.0%	29	39.7%	11	30.6%	55	49.1%	48	44.0%	50	56.8%	87	43.3%	134	49.1%	221	46.6%
Alcohol abuse disorder	5	9.1%	-	-	-	-	2	1.9%	8	7.6%	5	5.8%	13	6.7%	7	2.6%	20	4.3%
Drug abuse disorder	8	14.5%	3	4.1%	1	2.9%	5	4.6%	15	14.3%	12	13.8%	24	12.4%	20	7.5%	44	9.5%
Any of the above recent chemical dependency diagnoses	9	16.1%	3	4.1%	1	2.8%	5	4.5%	18	16.5%	12	13.6%	28	13.9%	20	7.3%	48	10.1%
Dual diagnosis - recent mental health AND chemical dependency	9	16.1%	3	4.1%	1	2.8%	5	4.5%	16	14.7%	10	11.4%	26	12.9%	18	6.6%	44	9.3%
Alternative definition of significant mental illness*	30	53.6%	34	46.6%	13	36.1%	63	56.3%	51	46.8%	59	67.0%	94	46.8%	156	57.1%	250	52.7%
Dual diagnosis - alternative MH definition* AND chemical dependency	9	16.1%	3	4.1%	1	2.8%	5	4.5%	16	14.7%	12	13.6%	26	12.9%	20	7.3%	46	9.7%

Note: The alternative definition of significant mental illness includes in-patient and out-patient treatment in the past two years in addition to mental illnesses listed in this table.

2015 Homeless Youth - MN statewide survey data
Physical and mental health

185. In the past 2 years, have you been told by a doctor or nurse that you have any of the following mental health conditions?*
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Schizophrenia	6	7.7%	1	1.0%	7	10.1%	-	-	16	8.7%	5	3.0%	29	8.8%	6	1.4%	35	4.5%
Other paranoid or delusional disorder	5	6.5%	2	2.0%	3	4.4%	3	1.7%	12	6.5%	9	5.4%	20	6.1%	14	3.2%	34	4.4%
Bipolar disorder (manic episodes / depression)	18	23.4%	16	15.8%	9	13.4%	24	13.9%	40	21.9%	51	30.7%	67	20.5%	91	20.7%	158	20.6%
Major depression	25	32.5%	26	25.5%	17	25.0%	53	30.6%	56	30.3%	69	41.6%	98	29.7%	148	33.6%	246	31.9%
Anti-social, obsessive-compulsive, or other severe personality disorder	14	18.2%	6	5.9%	9	13.2%	15	8.7%	27	14.7%	31	18.6%	50	15.2%	52	11.8%	102	13.2%
Post-Traumatic Stress Disorder (PTSD)	21	26.9%	23	22.3%	9	13.0%	40	23.1%	40	21.6%	47	28.5%	70	21.1%	110	24.9%	180	23.3%
Anxiety or panic disorder	27	35.1%	34	33.0%	16	23.5%	60	34.7%	64	34.6%	82	49.7%	107	32.4%	176	39.9%	283	36.7%
Any of the above recent mental health diagnoses	41	51.2%	48	46.6%	30	41.7%	92	51.7%	96	50.0%	103	60.2%	167	48.5%	243	53.8%	410	51.5%
Alcohol abuse disorder	9	11.4%	3	2.9%	4	5.8%	6	3.4%	23	12.4%	11	6.5%	36	10.8%	20	4.5%	56	7.2%
Drug abuse disorder	14	17.7%	7	6.8%	6	8.7%	14	8.0%	31	16.8%	23	13.6%	51	15.3%	44	9.9%	95	12.2%
Any of the above recent chemical dependency diagnoses	15	18.8%	9	8.7%	7	9.7%	16	9.0%	36	18.8%	24	14.0%	58	16.9%	49	10.8%	107	13.4%
Dual diagnosis - recent mental health AND chemical dependency	15	18.8%	9	8.7%	5	6.9%	14	7.9%	32	16.7%	21	12.3%	52	15.1%	44	9.7%	96	12.1%
Alternative definition of significant mental illness*	47	58.8%	53	51.5%	33	45.8%	103	57.9%	100	52.1%	115	67.3%	180	52.3%	271	60.0%	451	56.7%
Dual diagnosis - alternative MH definition* AND chemical dependency	15	18.8%	9	8.7%	5	6.9%	14	7.9%	32	16.7%	23	13.5%	52	15.1%	46	10.2%	98	12.3%

Note: The alternative definition of significant mental illness includes in-patient and out-patient treatment in the past two years in addition to mental illnesses listed in this table.

186. People with any serious or chronic disability (mental illness, substance abuse disorder, or other condition that limits work or activities of daily living).

<i>Greater Minnesota</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	20	83.3%	23	76.7%	27	75.0%	55	83.3%	53	63.9%	64	77.1%	100	69.9%	142	79.3%	242	75.2%
No	4	16.7%	7	23.3%	9	25.0%	11	16.7%	30	36.1%	19	22.9%	43	30.1%	37	20.7%	80	24.8%
Total	24	100%	30	100%	36	100%	66	100%	83	100%	83	100%	143	100.0%	179	100.0%	322	100.0%

186. People with any serious or chronic disability (mental illness, substance abuse disorder, or other condition that limits work or activities of daily living).
(continued)

<i>Metro</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	43	76.8%	49	67.1%	24	66.7%	80	71.4%	79	72.5%	72	81.8%	146	72.6%	201	73.6%	347	73.2%
No	13	23.2%	24	32.9%	12	33.3%	32	28.6%	30	27.5%	16	18.2%	55	27.4%	72	26.4%	127	26.8%
Total	56	100%	73	100%	36	100%	112	100%	109	100%	88	100%	201	100.0%	273	100.0%	474	100.0%

186. People with any serious or chronic disability (mental illness, substance abuse disorder, or other condition that limits work or activities of daily living).
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
<i>Statewide</i>																			
Yes	63	78.8%	72	69.9%	51	70.8%	135	75.8%	132	68.8%	136	79.5%	246	71.5%	343	75.9%	589	74.0%	
No	17	21.3%	31	30.1%	21	29.2%	43	24.2%	60	31.3%	35	20.5%	98	28.5%	109	24.1%	207	26.0%	
Total	80	100%	103	100%	72	100%	178	100%	192	100%	171	100%	344	100.0%	452	100.0%	796	100.0%	

187. Have you ever received outpatient care from a counselor, psychologist, or mental health worker because of nervousness, depression or mental health problems?

<i>Greater Minnesota</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	15	62.5%	15	50.0%	12	34.3%	35	53.0%	35	43.8%	44	55.0%	62	44.6%	94	53.4%	156	49.5%
No	9	37.5%	15	50.0%	23	65.7%	31	47.0%	45	56.3%	36	45.0%	77	55.4%	82	46.6%	159	50.5%
Total	24	100%	30	100%	35	100%	66	100%	80	100%	80	100%	139	100.0%	176	100.0%	315	100.0%

187. Have you ever received outpatient care from a counselor, psychologist, or mental health worker because of nervousness, depression or mental health problems?
(continued)

<i>Metro</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	20	37.0%	25	35.7%	13	37.1%	59	54.1%	43	40.6%	43	48.9%	76	39.0%	127	47.6%	203	43.9%
No	34	63.0%	45	64.3%	22	62.9%	50	45.9%	63	59.4%	45	51.1%	119	61.0%	140	52.4%	259	56.1%
Total	54	100%	70	100%	35	100%	109	100%	106	100%	88	100%	195	100.0%	267	100.0%	462	100.0%

187. Have you ever received outpatient care from a counselor, psychologist, or mental health worker because of nervousness, depression or mental health problems?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide						
	Male		Female		Male		Female		Male		Female		Male		Female		Total		
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
<i>Statewide</i>																			
Yes	35	44.9%	40	40.0%	25	35.7%	94	53.7%	78	41.9%	87	51.8%	138	41.3%	221	49.9%	359	46.2%	
No	43	55.1%	60	60.0%	45	64.3%	81	46.3%	108	58.1%	81	48.2%	196	58.7%	222	50.1%	418	53.8%	
Total	78	100%	100	100%	70	100%	175	100%	186	100%	168	100%	334	100.0%	443	100.0%	777	100.0%	

188. For those who received outpatient care because of nervousness, depression, or mental health problems, was that during the past two years?

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	11	73.3%	12	80.0%	10	90.9%	28	80.0%	22	62.9%	40	90.9%	43	70.5%	80	85.1%	123	79.4%
No	4	26.7%	3	20.0%	1	9.1%	7	20.0%	13	37.1%	4	9.1%	18	29.5%	14	14.9%	32	20.6%
Total	15	100%	15	100%	11	100%	35	100%	35	100%	44	100%	61	100.0%	94	100.0%	155	100.0%

188. For those who received outpatient care because of nervousness, depression, or mental health problems, was that during the past two years?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	15	83.3%	21	87.5%	11	84.6%	46	82.1%	30	69.8%	34	82.9%	56	75.7%	101	83.5%	157	80.5%
No	3	16.7%	3	12.5%	2	15.4%	10	17.9%	13	30.2%	7	17.1%	18	24.3%	20	16.5%	38	19.5%
Total	18	100%	24	100%	13	100%	56	100%	43	100%	41	100%	74	100.0%	121	100.0%	195	100.0%

188. For those who received outpatient care because of nervousness, depression, or mental health problems, was that during the past two years?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	26	78.8%	33	84.6%	21	87.5%	74	81.3%	52	66.7%	74	87.1%	99	73.3%	181	84.2%	280	80.0%
No	7	21.2%	6	15.4%	3	12.5%	17	18.7%	26	33.3%	11	12.9%	36	26.7%	34	15.8%	70	20.0%
Total	33	100%	39	100%	24	100%	91	100%	78	100%	85	100%	135	100.0%	215	100.0%	350	100.0%

2015 Homeless Youth - MN statewide survey data

Physical and mental health

189. Have you ever been pregnant or made someone pregnant?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	7	31.8%	19	63.3%	6	17.6%	51	78.5%	24	33.8%	49	62.8%	37	29.1%	119	68.8%	156	52.0%
No	15	68.2%	11	36.7%	28	82.4%	14	21.5%	47	66.2%	29	37.2%	90	70.9%	54	31.2%	144	48.0%
Total	22	100%	30	100%	34	100%	65	100%	71	100%	78	100%	127	100.0%	173	100.0%	300	100.0%

189. Have you ever been pregnant or made someone pregnant?

(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	18	36.7%	40	58.0%	8	24.2%	71	66.4%	38	38.0%	43	51.2%	64	35.2%	154	59.2%	218	49.3%
No	31	63.3%	29	42.0%	25	75.8%	36	33.6%	62	62.0%	41	48.8%	118	64.8%	106	40.8%	224	50.7%
Total	49	100%	69	100%	33	100%	107	100%	100	100%	84	100%	182	100.0%	260	100.0%	442	100.0%

189. Have you ever been pregnant or made someone pregnant?

(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	25	35.2%	59	59.6%	14	20.9%	122	70.9%	62	36.3%	92	56.8%	101	32.7%	273	63.0%	374	50.4%
No	46	64.8%	40	40.4%	53	79.1%	50	29.1%	109	63.7%	70	43.2%	208	67.3%	160	37.0%	368	49.6%
Total	71	100%	99	100%	67	100%	172	100%	171	100%	162	100%	309	100.0%	433	100.0%	742	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

190. Do you use or need birth control?

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	5	22.7%	14	51.9%	1	4.0%	33	54.1%	9	15.0%	29	44.6%	15	14.0%	76	49.7%	91	35.0%
No	17	77.3%	13	48.1%	24	96.0%	28	45.9%	51	85.0%	36	55.4%	92	86.0%	77	50.3%	169	65.0%
Total	22	100%	27	100%	25	100%	61	100%	60	100%	65	100%	107	100.0%	153	100.0%	260	100.0%

190. Do you use or need birth control?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	10	22.7%	29	46.8%	8	27.6%	59	58.4%	19	22.9%	37	50.7%	37	23.7%	125	53.0%	162	41.3%
No	34	77.3%	33	53.2%	21	72.4%	42	41.6%	64	77.1%	36	49.3%	119	76.3%	111	47.0%	230	58.7%
Total	44	100%	62	100%	29	100%	101	100%	83	100%	73	100%	156	100.0%	236	100.0%	392	100.0%

190. Do you use or need birth control?
(continued)

	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	15	22.7%	43	48.3%	9	16.7%	92	56.8%	28	19.6%	66	47.8%	52	19.8%	201	51.7%	253	38.8%
No	51	77.3%	46	51.7%	45	83.3%	70	43.2%	115	80.4%	72	52.2%	211	80.2%	188	48.3%	399	61.2%
Total	66	100%	89	100%	54	100%	162	100%	143	100%	138	100%	263	100.0%	389	100.0%	652	100.0%

2015 Homeless Youth - MN statewide survey data
Physical and mental health

191. Are you able to get a form of birth control that you can use?

Greater Minnesota	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Greater Minnesota					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	4	100%	13	92.9%	1	100%	29	87.9%	7	77.8%	26	96.3%	12	85.7%	68	91.9%	80	90.9%
No	-	-	1	7.1%	-	-	4	12.1%	2	22.2%	1	3.7%	2	14.3%	6	8.1%	8	9.1%
Total	4	100%	14	100%	1	100%	33	100%	9	100%	27	100%	14	100.0%	74	100.0%	88	100.0%

191. Are you able to get a form of birth control that you can use?
(continued)

Metro	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Metro					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	7	70.0%	28	100%	8	100%	55	98.2%	17	94.4%	31	91.2%	32	88.9%	114	96.6%	146	94.8%
No	3	30.0%	-	-	-	-	1	1.8%	1	5.6%	3	8.8%	4	11.1%	4	3.4%	8	5.2%
Total	10	100%	28	100%	8	100%	56	100%	18	100%	34	100%	36	100.0%	118	100.0%	154	100.0%

191. Are you able to get a form of birth control that you can use?
(continued)

Statewide	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations				Statewide					
	Male		Female		Male		Female		Male		Female		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	11	78.6%	41	97.6%	9	100%	84	94.4%	24	88.9%	57	93.4%	44	88.0%	182	94.8%	226	93.4%
No	3	21.4%	1	2.4%	-	-	5	5.6%	3	11.1%	4	6.6%	6	12.0%	10	5.2%	16	6.6%
Total	14	100%	42	100%	9	100%	89	100%	27	100%	61	100%	50	100.0%	192	100.0%	242	100.0%