

## 2015 Homeless Veterans (Federal definition of Veterans) - Minnesota statewide survey data

### BACKGROUND AND NOTES ON THE 2015 TABLES FOR VETERANS EXPERIENCING HOMELESSNESS

These tables provide detailed survey results from the October 2015 Minnesota Homeless Study. These tables include information about a subset of the overall population: Veterans experiencing homelessness (as identified through survey responses). The data are provided to help planners and service providers develop summary information about the characteristics of homeless Veterans, their experiences and needs, and the barriers that prevent them from obtaining housing.

For actual **counts** of people who were homeless on October 22, 2015, see the report *Statewide and Region Counts of Homeless People* found at [http://mnhomeless.org/minnesota-homeless-study/detailed-data-counts/2015/All-2015-Homeless-Counts\\_3-16.pdf](http://mnhomeless.org/minnesota-homeless-study/detailed-data-counts/2015/All-2015-Homeless-Counts_3-16.pdf). Other reports regarding the 2015 homeless study are published at [www.mnhomeless.org](http://www.mnhomeless.org) as they are available.

### VETERAN STATUS – FEDERAL DEFINITION

There are several definitions of Veteran status used to determine eligibility for various services and benefits. Individuals are included in this report if they reported they served on active duty for at least one day. This definition was chosen to increase inclusiveness and maintain consistency with past Veterans reports from the Minnesota Homeless Study. This is based on a definition used by the federal government. In Minnesota, the State's definition of Veteran is more specific (MN Statute 197.447). The state's definition includes fewer Veterans than reported in these tables. Data tables that include only the subset of Veterans who meet the Minnesota definition can be found at [www.mnhomeless.org](http://www.mnhomeless.org).

The data tables that follow are based on interviews with 298 Veterans who were experiencing homelessness including 267 men and 31 women. In the data tables, survey results have been weighted to represent 422 Veterans; 379 men and 43 women.

### NOTES FOR INTERPRETING THE DATA TABLES

**The tables contain weighted estimates.** This means that the survey results have been statistically adjusted to reflect the actual populations residing in emergency shelters, domestic violence shelters, transitional housing programs, and a few Rapid Rehousing programs that continue to function as transitional housing on the day of the survey. (We interviewed a large sample, not every person in each shelter.)

**For non-shelter locations, the data are not weighted.** We do not adjust the numbers for non-sheltered respondents, because the actual numbers of men, women, and children on the streets or in non-shelter locations on the day of the survey is unknown.

**You should use the percentages, not the frequencies, when interpreting these tables.** Sample weighting, such as we have performed with these data, uses calculations that can result in "fractional" persons. When we use computer rounding to adjust for this, the numbers do not always add up exactly to the total for each category.

**The total number of responses is different for each question,** based on the number of valid responses to that question. Missing data (cases when a respondent did not answer a question) are not reported or included in the percentages.

**There may be small difference in the medians reported in these tables versus those reported in aggregate reports.** This is due to inconsistencies in how medians are calculated within the statistical software (SPSS).

**Unaccompanied minors (under 18) are not included in these tables.** They will be included in separate tables about the characteristics of homeless youth ages 24 and younger, when available.

### WEIGHTING TECHNIQUES

The percentages apply only to the respondents who were qualified to answer that question. Some tables report data that were collected only from those who answered a previous question in a certain way. For example, many questions about children are asked only of those adults who have children with them, so the percentages apply only to that group.

The Metro region includes the following seven counties: Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, and Washington. The 2015 survey data were weighted to reflect the actual number of sheltered homeless persons, as indicated by specific site counts of people in shelters throughout the state on October 22, 2015. Only sites from which there were completed interviews were used in the weighting. The actual number of homeless persons in non-sheltered locations cannot be accurately estimated, so these cases were given a weight of 1.0.

The weightings were calculated by a sample-balancing program available in the Princeton Statistical Program (P-Stat). Individual case weights were computed based on:

- Individual sites.
- Gender (male, female).
- Region (northwest, northeast, central, west central, southwest, southeast, Anoka, Dakota, Hennepin, Scott/Carver, Ramsey, Washington, and St. Louis County).
- Shelter type (emergency, transitional/Rapid Rehousing, domestic violence shelter).

Weightings were used to estimate the characteristics of homeless persons in Minnesota's temporary housing programs on the night of the survey based on the sample of 2,416 interviews with adults. The actual number of adults in temporary housing programs on the night of the survey was 4,426. When this is combined with the results of the 1,112 interviews completed with adults in non-shelter locations, the total sample for which estimates are available is 5,538.

If questions on weighting techniques, contact the research staff at [brian.pittman@wilder.org](mailto:brian.pittman@wilder.org).

162. During the last 12 months, did you have any of the following illnesses, conditions, or problems?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Asthma	26	17.2%	1	5.2%	16	11.4%	2	19.1%	15	18.1%	-	-
Tuberculosis (TB)	-	-	-	-	2	1.5%	-	-	4	4.9%	-	-
Other chronic lung or respiratory problems	33	21.6%	2	6.8%	29	21.0%	-	-	20	24.1%	1	14.3%
Frostbite or trench foot	9	6.0%	2	6.7%	1	0.9%	-	-	8	9.6%	-	-
High blood pressure	75	49.5%	9	37.2%	54	38.7%	5	39.1%	29	35.8%	3	42.9%
Chronic heart or circulatory problems	23	15.2%	7	31.4%	9	6.3%	-	-	14	17.3%	2	25.0%
Diabetes	19	12.4%	5	19.6%	23	16.1%	-	-	14	17.1%	-	-
Hepatitis	7	4.8%	2	7.5%	12	8.8%	2	16.6%	10	12.5%	-	-
Syphilis, gonorrhea, or another STI other than HIV/AIDS	1	0.7%	-	-	5	3.7%	-	-	3	3.7%	-	-
HIV or AIDS	4	2.4%	2	7.5%	-	-	-	-	-	-	-	-
Any chronic health conditions	99	64.2%	13	55.5%	84	59.2%	6	55.7%	50	59.5%	5	62.5%

The definition of any chronic health condition includes (asthma, tuberculosis, other chronic lung or respiratory problems, high blood pressure or other chronic heart / circulatory problems, diabetes, hepatitis, or HIV/AIDS).

2015 Homeless Veterans - MN statewide survey data

Physical and mental health

162. During the last 12 months, did you have any of the following illnesses, conditions, or problems?  
(continued)

Statewide Veterans Totals

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Asthma	18	15.1%	-	-	18	13.7%	39	15.4%	3	11.2%	42	14.9%	57	15.3%	3	8.0%	60	14.5%
Tuberculosis (TB)	4	3.4%	-	-	4	3.1%	2	0.8%	-	-	2	0.7%	6	1.6%	-	-	6	1.5%
Other chronic lung or respiratory problems	36	29.6%	-	-	36	26.8%	47	18.3%	3	8.8%	49	17.3%	82	21.9%	3	6.2%	85	20.3%
Frostbite or trench foot	6	4.7%	-	-	6	4.3%	13	5.0%	2	5.5%	14	5.0%	18	4.9%	2	3.9%	20	4.8%
High blood pressure	42	35.1%	5	36.8%	46	35.3%	117	45.9%	12	39.4%	129	45.2%	158	42.4%	16	38.6%	175	42.1%
Chronic heart or circulatory problems	6	5.4%	1	10.7%	8	5.9%	39	15.5%	8	25.9%	47	16.6%	45	12.3%	9	21.4%	54	13.2%
Diabetes	16	13.7%	-	-	16	12.4%	39	15.4%	5	15.0%	44	15.4%	56	14.8%	5	10.7%	60	14.4%
Hepatitis	9	7.2%	2	15.5%	11	8.0%	21	8.3%	2	5.8%	22	8.0%	29	7.9%	4	8.6%	33	8.0%
Syphilis, gonorrhea, or another STI other than HIV/AIDS	4	3.4%	-	-	4	3.1%	5	2.0%	-	-	5	1.8%	9	2.5%	-	-	9	2.2%
HIV or AIDS	-	-	-	-	-	-	4	1.5%	2	5.8%	5	1.9%	4	1.0%	2	4.1%	5	1.3%
Any chronic health conditions	75	61.5%	6	52.3%	81	60.6%	158	61.2%	18	58.7%	176	60.9%	232	61.3%	25	56.9%	257	60.8%

The definition of any chronic health condition includes (asthma, tuberculosis, other chronic lung or respiratory problems, high blood pressure or other chronic heart / circulatory problems, diabetes, hepatitis, or HIV/AIDS).

163. For those who reported having the illness, condition or problem: Proportion who received care for it in the last 12 months.

Statewide Veterans

By Shelter Type	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Asthma	22	82.3%	1	100%	13	85.4%	2	100%	12	80.0%	-	-
Tuberculosis (TB)	-	-	-	-	1	50.0%	-	-	2	50.0%	-	-
Other chronic lung or respiratory problems	25	76.7%	-	-	21	72.8%	-	-	14	73.7%	1	100%
Frostbite or trench foot	5	70.5%	2	100%	-	-	-	-	5	62.5%	-	-
High blood pressure	64	89.5%	7	81.6%	48	100%	5	100%	18	62.1%	3	100%
Chronic heart or circulatory problems	17	76.3%	5	68.8%	5	55.3%	-	-	12	92.3%	-	-
Diabetes	18	93.3%	5	100%	23	100%	-	-	11	78.6%	-	-
Hepatitis	-	-	2	100%	6	46.5%	-	-	2	20.0%	-	-
Syphilis, gonorrhea, or another STI other than HIV/AIDS	1	100%	-	-	-	-	-	-	2	66.7%	-	-
HIV or AIDS	-	-	2	100%	-	-	-	-	-	-	-	-
All chronic health conditions treated	67	67.6%	9	71.2%	66	78.7%	5	70.2%	25	50.0%	3	60.0%

**2015 Homeless Veterans - MN statewide survey data**  
**Physical and mental health**

**163. For those who reported having the illness, condition or problem: Proportion who received care for it in the last 12 months.**  
**(continued)**

**Statewide Veterans Totals**

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Asthma	16	89.0%	-	-	16	89.0%	31	79.5%	3	100%	34	81.2%	47	82.5%	3	100%	50	83.5%
Tuberculosis (TB)	2	50.0%	-	-	2	50.0%	1	50.0%	-	-	1	50.0%	3	50.0%	-	-	3	50.0%
Other chronic lung or respiratory problems	22	63.1%	-	-	22	63.1%	38	83.6%	1	38.2%	39	81.1%	61	74.6%	1	38.2%	62	73.5%
Frostbite or trench foot	4	77.9%	-	-	4	77.9%	6	53.8%	2	100%	8	59.4%	10	61.6%	2	100%	12	64.9%
High blood pressure	27	76.2%	5	100%	32	78.9%	103	91.1%	10	86.3%	114	90.7%	131	87.6%	15	90.1%	145	87.8%
Chronic heart or circulatory problems	5	79.7%	1	100%	7	83.2%	29	76.3%	3	45.1%	32	71.2%	34	76.8%	5	53.3%	39	72.9%
Diabetes	14	87.8%	-	-	14	87.8%	37	94.2%	5	100%	41	94.8%	51	92.3%	5	100%	56	92.9%
Hepatitis	1	11.6%	-	-	1	9.5%	7	32.2%	2	100%	8	37.6%	8	26.1%	2	48.1%	9	28.6%
Syphilis, gonorrhea, or another STI other than HIV/AIDS	3	75.8%	-	-	3	75.8%	-	-	-	-	-	-	3	33.9%	-	-	3	33.9%
HIV or AIDS	-	-	-	-	-	-	-	-	2	100%	2	32.5%	-	-	2	100%	2	32.5%
All chronic health conditions treated	44	59.3%	5	70.3%	49	60.2%	113	71.9%	12	68.1%	126	71.5%	158	67.8%	17	68.7%	174	67.9%

164. Do you feel that you need to see a health professional about any physical health problems?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	65	43.1%	6	24.7%	54	38.9%	5	46.0%	29	34.5%	5	62.5%
No	87	56.9%	18	75.3%	85	61.1%	6	54.0%	55	65.5%	3	37.5%
<b>Total</b>	152	100%	24	100%	140	100%	12	100%	84	100%	8	100%

164. Do you feel that you need to see a health professional about any physical health problems?  
(continued)

Statewide Veterans Totals

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	53	43.9%	3	26.9%	<b>57</b>	<b>42.4%</b>	96	37.6%	13	41.7%	<b>109</b>	<b>38.0%</b>	149	39.6%	16	37.4%	<b>165</b>	<b>39.4%</b>
No	68	56.1%	9	73.1%	<b>77</b>	<b>57.6%</b>	159	62.4%	18	58.3%	<b>177</b>	<b>62.0%</b>	227	60.4%	27	62.6%	<b>254</b>	<b>60.6%</b>
<b>Total</b>	121	100%	12	100%	<b>134</b>	<b>100.0%</b>	255	100%	31	100%	<b>285</b>	<b>100.0%</b>	376	100%	43	100%	<b>419</b>	<b>100.0%</b>

**165. Do you feel that you need to see a health professional about any emotional or mental health problems?**

**Statewide Veterans**

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	48	32.3%	7	28.8%	45	32.7%	6	55.7%	35	41.7%	4	57.1%
No	101	67.7%	17	71.2%	93	67.3%	5	44.3%	49	58.3%	3	42.9%
<b>Total</b>	149	100%	24	100%	139	100%	12	100%	84	100%	7	100%

**165. Do you feel that you need to see a health professional about any emotional or mental health problems? (continued)**

**Statewide Veterans Totals**

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	41	35.0%	7	53.1%	<b>48</b>	<b>36.7%</b>	87	34.4%	11	35.8%	<b>98</b>	<b>34.6%</b>	128	34.6%	17	40.9%	<b>146</b>	<b>35.2%</b>
No	77	65.0%	6	46.9%	<b>83</b>	<b>63.3%</b>	166	65.6%	19	64.2%	<b>185</b>	<b>65.4%</b>	243	65.4%	25	59.1%	<b>268</b>	<b>64.8%</b>
<b>Total</b>	118	100%	12	100%	<b>130</b>	<b>100.0%</b>	253	100%	30	100%	<b>283</b>	<b>100.0%</b>	371	100%	42	100%	<b>414</b>	<b>100.0%</b>

166. Do you feel that you need to see a health professional about any alcohol or drug problems?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	15	9.9%	3	13.3%	18	12.6%	2	16.6%	13	15.7%	-	-
No	134	90.1%	20	86.7%	122	87.4%	10	83.4%	70	84.3%	8	100%
<b>Total</b>	<b>149</b>	<b>100%</b>	<b>24</b>	<b>100%</b>	<b>140</b>	<b>100%</b>	<b>12</b>	<b>100%</b>	<b>83</b>	<b>100%</b>	<b>8</b>	<b>100%</b>

166. Do you feel that you need to see a health professional about any alcohol or drug problems?  
(continued)

Statewide Veterans Totals

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	28	24.0%	2	15.5%	<b>30</b>	<b>23.2%</b>	17	6.8%	3	10.2%	<b>21</b>	<b>7.2%</b>	45	12.2%	5	11.7%	<b>51</b>	<b>12.2%</b>
No	89	76.0%	10	84.5%	<b>99</b>	<b>76.8%</b>	237	93.2%	28	89.8%	<b>265</b>	<b>92.8%</b>	326	87.8%	38	88.3%	<b>364</b>	<b>87.8%</b>
<b>Total</b>	<b>117</b>	<b>100%</b>	<b>12</b>	<b>100%</b>	<b>129</b>	<b>100.0%</b>	<b>255</b>	<b>100%</b>	<b>31</b>	<b>100%</b>	<b>285</b>	<b>100.0%</b>	<b>372</b>	<b>100%</b>	<b>43</b>	<b>100%</b>	<b>415</b>	<b>100.0%</b>



167. Do you feel that you need to see a dentist about tooth or gum problems?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	102	66.9%	16	67.9%	54	38.9%	5	44.3%	46	54.8%	5	62.5%
No	50	33.1%	8	32.1%	86	61.1%	6	55.7%	38	45.2%	3	37.5%
<b>Total</b>	152	100%	24	100%	140	100%	12	100%	84	100%	8	100%

167. Do you feel that you need to see a dentist about tooth or gum problems?  
(continued)

Statewide Veterans Totals

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	70	57.6%	7	55.0%	77	57.3%	132	52.0%	19	62.8%	152	53.1%	202	53.8%	26	60.6%	228	54.5%
No	51	42.4%	6	45.0%	57	42.7%	122	48.0%	11	37.2%	134	46.9%	174	46.2%	17	39.4%	191	45.5%
<b>Total</b>	121	100%	12	100%	134	100.0%	255	100%	31	100%	285	100.0%	376	100%	43	100%	419	100.0%

168. Is there anything that prevents you from getting needed health care?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	27	17.6%	4	18.1%	14	9.9%	1	8.6%	18	21.4%	4	50.0%
No	124	82.4%	19	81.9%	126	90.1%	11	91.4%	66	78.6%	4	50.0%
<b>Total</b>	150	100%	24	100%	140	100%	12	100%	84	100%	8	100%

168. Is there anything that prevents you from getting needed health care?  
(continued)

Statewide Veterans Totals

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	24	19.6%	4	29.5%	27	20.5%	35	13.7%	6	18.2%	40	14.2%	58	15.6%	9	21.5%	68	16.2%
No	98	80.4%	9	70.5%	106	79.5%	218	86.3%	25	81.8%	244	85.8%	316	84.4%	34	78.5%	350	83.8%
<b>Total</b>	121	100%	12	100%	134	100.0%	253	100%	31	100%	284	100.0%	374	100%	43	100%	418	100.0%

**169. For those who are not getting needed health care, what is the main reason that you do not get the health care you need?**

**Statewide Veterans**

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
No insurance	6	22.6%	1	31.1%	-	-	1	100%	7	38.9%	-	-
No money	6	21.4%	-	-	-	-	-	-	3	16.7%	3	75.0%
Insurance problems (qualifying for or limited coverage)	3	9.7%	-	-	3	22.9%	-	-	2	11.1%	-	-
Rather not go	1	4.8%	-	-	5	38.9%	-	-	1	5.6%	-	-
No transportation	3	11.2%	2	37.7%	2	12.4%	-	-	1	5.6%	-	-
Don't know where to go	2	9.2%	1	31.1%	1	8.1%	-	-	1	5.6%	-	-
Something else (not specified or multiple responses)	2	9.4%	-	-	-	-	-	-	1	5.6%	-	-
The care I need isn't available	-	-	-	-	1	8.1%	-	-	2	11.1%	-	-
Barriers to accessing health care / insurance	3	11.7%	-	-	-	-	-	-	-	-	-	-
System structure	-	-	-	-	1	9.5%	-	-	-	-	-	-
Reason not clear	-	-	-	-	-	-	-	-	-	-	1	25.0%
<b>Total</b>	27	100%	4	100%	14	100%	1	100%	18	100%	4	100%

2015 Homeless Veterans - MN statewide survey data  
Physical and mental health

169. For those who are not getting needed health care, what is the main reason that you do not get the health care you need?  
(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
No insurance	6	25.3%	2	63.6%	8	30.4%	7	20.2%	-	-	7	17.4%	13	22.3%	2	25.1%	15	22.7%
No money	4	18.2%	-	-	4	15.7%	4	12.6%	3	53.4%	7	18.3%	9	14.9%	3	32.3%	12	17.3%
Insurance problems (qualifying for or limited coverage)	5	23.1%	-	-	5	20.0%	2	6.5%	-	-	2	5.6%	8	13.3%	-	-	8	11.4%
Rather not go	-	-	-	-	-	-	8	22.1%	-	-	8	19.0%	8	13.1%	-	-	8	11.3%
No transportation	1	4.2%	-	-	1	3.6%	5	13.6%	2	28.8%	6	15.7%	6	9.8%	2	17.4%	7	10.8%
Don't know where to go	2	10.3%	1	36.4%	4	13.8%	2	6.1%	-	-	2	5.3%	5	7.8%	1	14.4%	6	8.7%
Something else (not specified or multiple responses)	3	14.7%	-	-	3	12.8%	-	-	-	-	-	-	3	6.0%	-	-	3	5.2%
The care I need isn't available	1	4.2%	-	-	1	3.6%	2	6.1%	-	-	2	5.3%	3	5.4%	-	-	3	4.6%
Barriers to accessing health care / insurance	-	-	-	-	-	-	3	8.9%	-	-	3	7.7%	3	5.3%	-	-	3	4.6%
System structure	-	-	-	-	-	-	1	3.8%	-	-	1	3.3%	1	2.2%	-	-	1	1.9%
Reason not clear	-	-	-	-	-	-	-	-	1	17.8%	1	2.5%	-	-	1	10.8%	1	1.5%
<b>Total</b>	24	100%	4	100%	27	100.0%	35	100%	6	100%	40	100.0%	58	100%	9	100%	68	100.0%

**170. Are there any medications or prescriptions you are supposed to be taking now that you are not taking?**

**Statewide Veterans**

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	37	24.6%	4	18.7%	13	9.6%	4	36.6%	23	27.7%	3	37.5%
No	114	75.4%	19	81.3%	125	90.4%	7	63.4%	60	72.3%	5	62.5%
<b>Total</b>	151	100%	24	100%	138	100%	12	100%	83	100%	8	100%

**170. Are there any medications or prescriptions you are supposed to be taking now that you are not taking? (continued)**

**Statewide Veterans Totals**

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	29	24.4%	4	33.5%	33	25.2%	44	17.5%	8	24.4%	52	18.3%	73	19.7%	12	27.0%	85	20.5%
No	91	75.6%	8	66.5%	99	74.8%	208	82.5%	23	75.6%	231	81.7%	299	80.3%	32	73.0%	330	79.5%
<b>Total</b>	120	100%	12	100%	133	100.0%	252	100%	31	100%	283	100.0%	372	100%	43	100%	415	100.0%

Physical and mental health

171. For those who report not taking their needed medication, what kind of illness or problem is the medication for?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
A physical problem	22	58.1%	2	35.8%	7	50.3%	-	-	10	45.5%	-	-
A mental health problem	22	58.5%	4	100%	10	76.2%	4	100%	15	68.2%	3	100%
A substance abuse problem	1	3.8%	-	-	-	-	2	45.4%	2	9.1%	-	-

171. For those who report not taking their needed medication, what kind of illness or problem is the medication for? (continued)

Statewide Veterans Totals

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
A physical problem	17	60.8%	-	-	17	53.1%	21	47.7%	2	21.1%	23	43.8%	38	52.8%	2	13.6%	40	47.4%
A mental health problem	19	66.3%	4	100%	23	70.6%	28	63.6%	8	100%	36	68.9%	47	64.7%	12	100%	59	69.6%
A substance abuse problem	1	3.5%	2	46.4%	3	9.0%	2	5.4%	-	-	2	4.6%	3	4.7%	2	16.5%	5	6.3%

2015 Homeless Veterans - MN statewide survey data  
Physical and mental health

172. Do you have a regular place where you go for medical care?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	126	85.1%	19	78.7%	127	90.5%	8	71.4%	62	73.8%	6	75.0%
No	22	14.9%	5	21.3%	13	9.5%	3	28.6%	22	26.2%	2	25.0%
<b>Total</b>	148	100%	24	100%	140	100%	12	100%	84	100%	8	100%

172. Do you have a regular place where you go for medical care?  
(continued)

Statewide Veterans Totals

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	91	75.7%	11	91.9%	102	77.2%	223	88.8%	21	69.7%	245	86.8%	314	84.6%	33	76.1%	347	83.7%
No	29	24.3%	1	8.1%	30	22.8%	28	11.2%	9	30.3%	37	13.2%	57	15.4%	10	23.9%	68	16.3%
<b>Total</b>	120	100%	12	100%	133	100.0%	252	100%	31	100%	282	100.0%	372	100%	43	100%	415	100.0%

173. For those who report having a regular place to go for health care, what type of place is it?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
A clinic that requires insurance or fees	50	39.8%	10	53.1%	47	37.5%	7	90.2%	32	51.6%	2	33.3%
VA / VA medical center	40	31.6%	7	37.4%	69	54.6%	1	9.8%	15	24.2%	2	33.3%
A free clinic	28	22.3%	2	9.6%	4	3.0%	-	-	6	9.7%	1	16.7%
The emergency room	3	2.5%	-	-	-	-	-	-	5	8.1%	1	16.7%
Medical center	3	2.5%	-	-	3	2.1%	-	-	-	-	-	-
Other or not specified	2	1.3%	-	-	1	1.0%	-	-	2	3.2%	-	-
Indian Health Service	-	-	-	-	2	1.8%	-	-	2	3.2%	-	-
<b>Total</b>	126	100%	19	100%	127	100%	8	100%	62	100%	6	100%



2015 Homeless Veterans - MN statewide survey data  
Physical and mental health

173. For those who report having a regular place to go for health care, what type of place is it?  
(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
A clinic that requires insurance or fees	35	38.2%	9	80.5%	44	42.9%	95	42.4%	10	47.3%	105	42.9%	130	41.2%	19	58.8%	149	42.9%
VA / VA medical center	39	42.7%	2	19.5%	41	40.2%	85	38.0%	8	35.1%	93	37.8%	124	39.4%	10	29.7%	134	38.5%
A free clinic	10	11.1%	-	-	10	9.9%	28	12.4%	3	13.0%	31	12.5%	38	12.0%	3	8.5%	41	11.7%
The emergency room	2	2.2%	-	-	2	2.0%	6	2.8%	1	4.7%	7	2.9%	8	2.6%	1	3.0%	9	2.6%
Medical center	-	-	-	-	-	-	6	2.6%	-	-	6	2.4%	6	1.9%	-	-	6	1.7%
Other or not specified	1	1.1%	-	-	1	1.0%	4	1.7%	-	-	4	1.6%	5	1.6%	-	-	5	1.4%
Indian Health Service	4	4.7%	-	-	4	4.2%	-	-	-	-	-	-	4	1.4%	-	-	4	1.2%
<b>Total</b>	91	100%	11	100%	102	100.0%	223	100%	21	100%	245	100.0%	314	100%	33	100%	347	100.0%

174. Did you receive care in an emergency room in past 6 months?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	80	52.9%	13	55.9%	48	34.4%	4	35.7%	33	39.8%	6	75.0%
No	72	47.1%	10	44.1%	92	65.6%	7	64.3%	50	60.2%	2	25.0%
<b>Total</b>	152	100%	24	100%	140	100%	12	100%	83	100%	8	100%

174. Did you receive care in an emergency room in past 6 months?  
(continued)

Statewide Veterans Totals

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	55	45.5%	9	71.1%	64	47.9%	106	41.9%	15	47.1%	121	42.5%	162	43.1%	23	54.0%	185	44.2%
No	66	54.5%	4	28.9%	70	52.1%	147	58.1%	16	52.9%	164	57.5%	213	56.9%	20	46.0%	233	55.8%
<b>Total</b>	121	100%	12	100%	134	100.0%	254	100%	31	100%	284	100.0%	375	100%	43	100%	418	100.0%

175. For those who received care in an emergency room in the past 6 months, how many times?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
1 time	41	52.2%	3	22.3%	31	63.4%	2	46.5%	18	56.3%	3	60.0%
2 times	10	13.0%	4	32.8%	8	16.9%	-	-	8	25.0%	1	20.0%
3 times	12	15.3%	3	23.6%	4	8.1%	-	-	3	9.4%	1	20.0%
4 times	6	7.2%	-	-	2	4.9%	-	-	1	3.1%	-	-
5 times	3	4.0%	-	-	3	6.6%	-	-	-	-	-	-
6 times	1	1.8%	1	9.3%	-	-	2	53.5%	1	3.1%	-	-
10 times	3	3.6%	2	12.0%	-	-	-	-	1	3.1%	-	-
15 times	2	3.0%	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	78	100%	13	100%	48	100%	4	100%	32	100%	5	100%

	Emergency shelter / Domestic violence shelter		Transitional housing / Rapid Re-housing		Non-shelter locations	
	Male	Female	Male	Female	Male	Female
Mean (times in ER)	3	3	2	4	2	2
Median (times in ER)	1	2	1	6	1	1

2015 Homeless Veterans - MN statewide survey data  
Physical and mental health

175. For those who received care in an emergency room in the past 6 months, how many times?  
(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
1 time	35	65.9%	4	54.5%	39	64.4%	54	51.6%	4	24.9%	58	48.4%	89	56.4%	8	35.2%	97	53.8%
2 times	7	13.0%	1	12.8%	8	13.0%	19	18.4%	4	29.8%	24	19.8%	26	16.6%	5	23.8%	32	17.5%
3 times	6	11.3%	1	17.0%	7	12.0%	13	12.3%	3	19.2%	16	13.1%	19	11.9%	4	18.4%	23	12.7%
4 times	1	2.0%	-	-	1	1.7%	8	7.5%	-	-	8	6.6%	9	5.7%	-	-	9	5.0%
5 times	3	6.0%	-	-	3	5.2%	3	3.0%	-	-	3	2.6%	6	4.0%	-	-	6	3.5%
6 times	1	1.9%	1	15.7%	2	3.7%	1	1.3%	2	15.3%	4	3.0%	2	1.5%	3	15.4%	6	3.2%
10 times	-	-	-	-	-	-	4	3.6%	2	10.9%	5	4.5%	4	2.4%	2	7.1%	5	3.0%
15 times	-	-	-	-	-	-	2	2.2%	-	-	2	1.9%	2	1.5%	-	-	2	1.3%
<b>Total</b>	53	100%	8	100%	61	100.0%	105	100%	15	100%	119	100.0%	158	100%	22	100%	180	100.0%

	Greater Minnesota			Metro			Statewide		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
Mean (times in ER)	2	2	2	2	3	3	2	3	2
Median (times in ER)	1	1	1	1	2	2	1	2	1

176. For those who received care in an emergency room in the past 6 months, how many times have those visits resulted in a hospital admission?

Statewide Veterans

By Shelter Type	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
No hospital admissions	40	51.7%	7	53.0%	31	64.5%	4	100%	21	65.6%	4	80.0%
1 hospital admission	21	27.2%	2	12.2%	14	29.9%	-	-	8	25.0%	1	20.0%
2 hospital admissions	7	9.1%	2	12.0%	3	5.6%	-	-	1	3.1%	-	-
3 hospital admissions	4	4.9%	2	13.5%	-	-	-	-	1	3.1%	-	-
4 hospital admissions	2	2.3%	-	-	-	-	-	-	-	-	-	-
5 hospital admissions	2	3.0%	-	-	-	-	-	-	-	-	-	-
6 hospital admissions	-	-	1	9.3%	-	-	-	-	-	-	-	-
10 hospital admissions	1	1.8%	-	-	-	-	-	-	1	3.1%	-	-
<b>Total</b>	76	100%	13	100%	48	100%	4	100%	32	100%	5	100%

	Emergency shelter / Domestic violence shelter		Transitional housing / Rapid Re-housing		Non-shelter locations	
	Male	Female	Male	Female	Male	Female
Mean (hospital admissions)	1	1	0	0	1	0
Median (hospital admissions)	0	0	0	0	0	0

176. For those who received care in an emergency room in the past 6 months, how many times have those visits resulted in a hospital admission?

(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
No hospital admissions	37	69.1%	6	71.5%	42	69.4%	55	53.1%	10	65.7%	64	54.6%	92	58.5%	15	67.7%	107	59.6%
1 hospital admission	14	26.5%	1	12.8%	15	24.8%	29	28.1%	2	11.1%	31	26.0%	43	27.6%	3	11.7%	46	25.6%
2 hospital admissions	1	2.5%	-	-	1	2.2%	9	9.0%	2	10.9%	11	9.2%	11	6.8%	2	7.1%	12	6.8%
3 hospital admissions	1	1.9%	-	-	1	1.6%	4	3.6%	2	12.3%	5	4.7%	5	3.0%	2	8.0%	6	3.6%
4 hospital admissions	-	-	-	-	-	-	2	1.7%	-	-	2	1.5%	2	1.1%	-	-	2	1.0%
5 hospital admissions	-	-	-	-	-	-	2	2.2%	-	-	2	1.9%	2	1.5%	-	-	2	1.3%
6 hospital admissions	-	-	1	15.7%	1	2.0%	-	-	-	-	-	-	-	-	1	5.5%	1	0.7%
10 hospital admissions	-	-	-	-	-	-	2	2.3%	-	-	2	2.0%	2	1.5%	-	-	2	1.3%
<b>Total</b>	53	100%	8	100%	61	100.0%	104	100%	15	100%	118	100.0%	157	100%	22	100%	179	100.0%

	Greater Minnesota			Metro			Statewide		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
Mean (hospital admissions)	0	1	0	1	1	1	1	1	1
Median (hospital admissions)	0	0	0	0	0	0	0	0	0

177. Do you have a physical, mental, or other health condition that limits the kind or amount of work you can do?

Statewide Veterans

By Shelter Type	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	71	47.5%	13	53.5%	49	35.0%	5	46.0%	49	59.0%	4	50.0%
No	78	52.5%	11	46.5%	91	65.0%	6	54.0%	34	41.0%	4	50.0%
<b>Total</b>	149	100%	24	100%	140	100%	12	100%	83	100%	8	100%

177. Do you have a physical, mental, or other health condition that limits the kind or amount of work you can do?  
(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	48	40.5%	6	47.5%	54	41.2%	121	47.7%	16	52.2%	137	48.2%	169	45.4%	22	50.8%	191	46.0%
No	71	59.5%	7	52.5%	77	58.8%	132	52.3%	15	47.8%	147	51.8%	203	54.6%	21	49.2%	224	54.0%
<b>Total</b>	119	100%	12	100%	132	100.0%	253	100%	31	100%	284	100.0%	372	100%	43	100%	415	100.0%

178. Do you have a physical, mental, or other health condition that makes it hard for you to bathe, eat, get dressed, get in or out of bed, or get around by yourself?

Statewide Veterans

By Shelter Type	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	24	15.9%	3	13.2%	13	9.1%	2	20.0%	12	14.6%	2	25.0%
No	125	84.1%	21	86.8%	127	90.9%	9	80.0%	70	85.4%	6	75.0%
<b>Total</b>	149	100%	24	100%	140	100%	12	100%	82	100%	8	100%

178. Do you have a physical, mental, or other health condition that makes it hard for you to bathe, eat, get dressed, get in or out of bed, or get around by yourself?  
(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	13	11.2%	2	18.8%	16	11.9%	35	13.9%	5	16.5%	40	14.2%	48	13.1%	7	17.2%	56	13.5%
No	105	88.8%	10	81.2%	115	88.1%	217	86.1%	26	83.5%	243	85.8%	322	86.9%	36	82.8%	358	86.5%
<b>Total</b>	118	100%	12	100%	131	100.0%	252	100%	31	100%	283	100.0%	371	100%	43	100%	414	100.0%



179. Do you often feel confused or have trouble remembering things or have problems making decisions, to the point that it interferes with daily activities?

Statewide Veterans

By Shelter Type	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	41	28.3%	9	38.1%	28	20.3%	4	45.2%	35	42.2%	4	57.1%
No	104	71.7%	15	61.9%	109	79.7%	5	54.8%	48	57.8%	3	42.9%
<b>Total</b>	145	100%	24	100%	137	100%	9	100%	83	100%	7	100%

179. Do you often feel confused or have trouble remembering things or have problems making decisions, to the point that it interferes with daily activities?  
(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	38	34.1%	4	34.3%	42	34.1%	66	26.0%	13	47.0%	79	28.1%	104	28.5%	17	43.1%	121	29.9%
No	73	65.9%	8	65.7%	81	65.9%	188	74.0%	15	53.0%	202	71.9%	261	71.5%	23	56.9%	284	70.1%
<b>Total</b>	111	100%	12	100%	123	100.0%	254	100%	28	100%	281	100.0%	365	100%	40	100%	405	100.0%

**180. Have you ever been hit in the head so hard that you saw stars or were knocked unconscious?**

**Statewide Veterans**

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	111	72.8%	13	56.4%	100	71.7%	6	47.7%	54	65.1%	5	62.5%
No	41	27.2%	10	43.6%	40	28.3%	6	52.3%	29	34.9%	3	37.5%
<b>Total</b>	<b>152</b>	<b>100%</b>	<b>24</b>	<b>100%</b>	<b>140</b>	<b>100%</b>	<b>12</b>	<b>100%</b>	<b>83</b>	<b>100%</b>	<b>8</b>	<b>100%</b>

**180. Have you ever been hit in the head so hard that you saw stars or were knocked unconscious?  
(continued)**

**Statewide Veterans Totals**

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	85	70.9%	6	47.5%	<b>91</b>	<b>68.7%</b>	180	70.6%	18	58.3%	<b>198</b>	<b>69.3%</b>	265	70.7%	24	55.2%	<b>289</b>	<b>69.1%</b>
No	35	29.1%	7	52.5%	<b>42</b>	<b>31.3%</b>	75	29.4%	13	41.7%	<b>88</b>	<b>30.7%</b>	110	29.3%	19	44.8%	<b>129</b>	<b>30.9%</b>
<b>Total</b>	<b>120</b>	<b>100%</b>	<b>12</b>	<b>100%</b>	<b>133</b>	<b>100.0%</b>	<b>255</b>	<b>100%</b>	<b>31</b>	<b>100%</b>	<b>285</b>	<b>100.0%</b>	<b>375</b>	<b>100%</b>	<b>43</b>	<b>100%</b>	<b>418</b>	<b>100.0%</b>

**181. For those who report a head injury, after your head injury did you start having problems with headaches, concentration or memory, understanding, excessive worry, sleeping, or getting along with people?**

**Statewide Veterans**

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	52	53.8%	8	74.9%	46	45.8%	5	81.9%	39	79.6%	4	80.0%
No	45	46.2%	3	25.1%	54	54.2%	1	18.1%	10	20.4%	1	20.0%
<b>Total</b>	97	100%	10	100%	100	100%	6	100%	49	100%	5	100%

**181. For those who report a head injury, after your head injury did you start having problems with headaches, concentration or memory, understanding, excessive worry, sleeping, or getting along with people?**  
(continued)

**Statewide Veterans Totals**

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	48	63.1%	2	51.2%	<b>50</b>	<b>62.5%</b>	89	52.3%	14	85.6%	<b>103</b>	<b>55.2%</b>	137	55.7%	16	78.0%	<b>153</b>	<b>57.4%</b>
No	28	36.9%	2	48.8%	<b>30</b>	<b>37.5%</b>	81	47.7%	2	14.4%	<b>84</b>	<b>44.8%</b>	109	44.3%	5	22.0%	<b>114</b>	<b>42.6%</b>
<b>Total</b>	76	100%	5	100%	<b>81</b>	<b>100.0%</b>	171	100%	16	100%	<b>187</b>	<b>100.0%</b>	247	100%	21	100%	<b>267</b>	<b>100.0%</b>

182. For those who reported a head injury, how old were you when you were injured?

Statewide Veterans

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
17 years or younger	23	23.7%	3	21.3%	33	35.2%	5	81.9%	16	32.0%	2	40.0%
18 to 21 years	15	15.3%	-	-	26	27.7%	1	18.1%	6	12.0%	2	40.0%
22 to 24 years	12	11.9%	2	13.4%	4	4.1%	-	-	6	12.0%	-	-
25 to 29 years	13	13.8%	2	14.3%	8	8.4%	-	-	3	6.0%	-	-
30 to 39 years	10	10.6%	3	19.8%	14	15.2%	-	-	7	14.0%	1	20.0%
40 to 49 years	10	9.9%	4	31.2%	5	5.6%	-	-	6	12.0%	-	-
50 to 54 years	3	3.2%	-	-	-	-	-	-	5	10.0%	-	-
55 to 59 years	5	5.5%	-	-	4	3.7%	-	-	-	-	-	-
60 to 69 years	5	4.6%	-	-	-	-	-	-	1	2.0%	-	-
70 to 79 years	1	1.4%	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	98	100%	13	100%	94	100%	6	100%	50	100%	5	100%

	Emergency shelter / Domestic violence shelter		Transitional housing / Rapid Re-housing		Non-shelter locations	
	Male	Female	Male	Female	Male	Female
Mean	29	30	22	13	26	22
Median	24	31	19	14	23	19

2015 Homeless Veterans - MN statewide survey data  
Physical and mental health

182. For those who reported a head injury, how old were you when you were injured?  
(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
17 years or younger	23	29.7%	2	37.8%	26	30.3%	49	30.0%	7	39.8%	56	31.0%	72	29.9%	9	39.3%	82	30.8%
18 to 21 years	21	26.8%	1	17.0%	22	26.1%	26	16.0%	2	11.1%	28	15.5%	47	19.5%	3	12.6%	50	18.8%
22 to 24 years	7	9.3%	-	-	7	8.7%	14	8.7%	2	9.9%	16	8.8%	21	8.9%	2	7.5%	23	8.8%
25 to 29 years	5	6.9%	-	-	5	6.4%	19	11.6%	2	10.6%	21	11.5%	24	10.1%	2	8.0%	26	9.9%
30 to 39 years	13	16.2%	1	22.6%	14	16.6%	19	11.6%	2	12.8%	21	11.7%	32	13.1%	4	15.3%	35	13.3%
40 to 49 years	3	4.1%	1	22.6%	5	5.4%	18	10.9%	3	15.7%	21	11.4%	21	8.7%	4	17.4%	25	9.5%
50 to 54 years	1	1.3%	-	-	1	1.2%	7	4.3%	-	-	7	3.9%	8	3.3%	-	-	8	3.0%
55 to 59 years	4	4.5%	-	-	4	4.2%	5	3.3%	-	-	5	3.0%	9	3.7%	-	-	9	3.3%
60 to 69 years	1	1.3%	-	-	1	1.2%	5	2.8%	-	-	5	2.5%	6	2.3%	-	-	6	2.1%
70 to 79 years	-	-	-	-	-	-	1	0.9%	-	-	1	0.8%	1	0.6%	-	-	1	0.5%
<b>Total</b>	78	100%	6	100%	84	100.0%	164	100%	18	100%	182	100.0%	242	100%	24	100%	266	100.0%

	Greater Minnesota			Metro			Statewide		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
Mean	23	27	24	27	24	26	26	25	25
Median	20	18	20	23	21	23	22	21	22

**183. In the past 2 years, have you been told by a doctor or nurse that you have a concussion or Traumatic Brain Injury (TBI)?**

**Statewide Veterans**

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	28	19.5%	3	13.2%	20	14.3%	2	20.0%	24	28.9%	-	-
No	118	80.5%	21	86.8%	120	85.7%	9	80.0%	59	71.1%	7	100%
<b>Total</b>	146	100%	24	100%	140	100%	12	100%	83	100%	7	100%

**183. In the past 2 years, have you been told by a doctor or nurse that you have a concussion or Traumatic Brain Injury (TBI)? (continued)**

**Statewide Veterans Totals**

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	28	23.4%	1	10.7%	<b>29</b>	<b>22.2%</b>	44	17.8%	4	13.7%	<b>48</b>	<b>17.4%</b>	72	19.6%	5	12.9%	<b>78</b>	<b>18.9%</b>
No	92	76.6%	11	89.3%	<b>103</b>	<b>77.8%</b>	204	82.2%	26	86.3%	<b>230</b>	<b>82.6%</b>	297	80.4%	37	87.1%	<b>333</b>	<b>81.1%</b>
<b>Total</b>	120	100%	12	100%	<b>133</b>	<b>100.0%</b>	249	100%	30	100%	<b>279</b>	<b>100.0%</b>	369	100%	42	100%	<b>411</b>	<b>100.0%</b>

**184. In the past 2 years, have you been told by a doctor or nurse that you have any of the following mental health conditions?\***

**Statewide Veterans**

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Schizophrenia	13	8.8%	1	5.5%	4	2.7%	-	-	6	7.2%	-	-
Other paranoid or delusional disorder	11	7.3%	-	-	3	1.9%	-	-	8	9.6%	1	12.5%
Bipolar disorder (manic episodes / depression)	23	15.2%	3	12.2%	17	11.9%	2	16.6%	25	30.1%	4	50.0%
Major depression	37	24.6%	9	38.1%	34	24.0%	6	55.7%	40	48.2%	4	50.0%
Anti-social, obsessive-compulsive, or other severe personality disorder	12	7.8%	1	5.5%	19	13.8%	2	20.0%	17	20.5%	2	25.0%
Post-Traumatic Stress Disorder (PTSD)	44	30.0%	9	38.9%	38	27.3%	4	36.6%	33	40.7%	3	37.5%
Anxiety or panic disorder	47	31.7%	13	56.4%	36	25.5%	4	36.6%	41	50.0%	5	62.5%
<b>Any of the above recent mental health diagnoses</b>	84	54.8%	13	56.4%	70	49.9%	6	55.7%	58	69.0%	6	75.0%
Alcohol abuse disorder	32	21.1%	4	18.5%	41	29.1%	4	36.6%	30	36.1%	1	12.5%
Drug abuse disorder	19	12.9%	2	8.1%	31	22.2%	2	16.6%	13	15.7%	-	-
<b>Any of the above recent chemical dependency diagnoses</b>	34	22.2%	4	18.5%	54	38.4%	4	36.6%	33	39.3%	1	12.5%
<b>Dual diagnosis - recent mental health AND chemical dependency</b>	25	16.2%	4	18.5%	44	31.0%	4	36.6%	29	34.5%	1	12.5%
Alternative definition of significant mental illness*	89	58.0%	13	56.4%	83	58.9%	6	55.7%	63	75.0%	6	75.0%
Dual diagnosis - alternative MH definition* AND chemical dependency	25	16.2%	4	18.5%	46	32.8%	4	36.6%	29	34.5%	1	12.5%

Note: The alternative definition of significant mental illness includes in-patient and out-patient treatment in the past two years in addition to mental illnesses listed in this table.

2015 Homeless Veterans - MN statewide survey data

Physical and mental health

184. In the past 2 years, have you been told by a doctor or nurse that you have any of the following mental health conditions?\*

(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Schizophrenia	2	1.7%	-	-	2	1.5%	21	8.3%	1	4.2%	22	7.9%	23	6.2%	1	3.0%	24	5.8%
Other paranoid or delusional disorder	6	4.7%	-	-	6	4.2%	16	6.3%	1	3.2%	17	6.0%	22	5.8%	1	2.3%	23	5.4%
Bipolar disorder (manic episodes / depression)	24	19.9%	4	31.6%	28	21.0%	41	16.0%	5	15.9%	46	16.0%	65	17.3%	9	20.4%	73	17.6%
Major depression	37	30.7%	5	42.4%	42	31.8%	73	29.1%	14	46.0%	88	30.9%	110	29.6%	19	45.0%	130	31.2%
Anti-social, obsessive-compulsive, or other severe personality disorder	16	13.2%	-	-	16	12.0%	32	12.8%	6	18.2%	38	13.4%	48	12.9%	6	13.0%	54	12.9%
Post-Traumatic Stress Disorder (PTSD)	47	39.1%	6	45.1%	52	39.7%	68	27.6%	11	35.2%	79	28.4%	115	31.3%	16	38.0%	131	32.0%
Anxiety or panic disorder	53	44.7%	8	63.0%	61	46.4%	71	28.1%	15	47.9%	86	30.3%	124	33.4%	23	52.2%	147	35.4%
<b>Any of the above recent mental health diagnoses</b>	78	64.2%	8	63.0%	86	64.1%	135	52.3%	18	58.3%	153	53.0%	213	56.1%	26	59.7%	239	56.5%
Alcohol abuse disorder	44	36.9%	3	25.4%	48	35.8%	58	22.9%	6	21.0%	64	22.7%	102	27.4%	10	22.2%	112	26.9%
Drug abuse disorder	29	23.8%	2	15.5%	31	23.0%	35	13.8%	2	6.2%	37	12.9%	63	17.0%	4	8.9%	67	16.2%
<b>Any of the above recent chemical dependency diagnoses</b>	54	44.5%	3	25.4%	57	42.8%	67	26.1%	6	21.0%	74	25.6%	121	32.0%	10	22.2%	131	31.0%
<b>Dual diagnosis - recent mental health AND chemical dependency</b>	45	37.2%	3	25.4%	48	36.1%	53	20.4%	6	21.0%	59	20.5%	98	25.8%	10	22.2%	107	25.4%
Alternative definition of significant mental illness*	88	72.6%	8	63.0%	96	71.7%	147	57.2%	18	58.3%	165	57.3%	236	62.1%	26	59.7%	261	61.9%
Dual diagnosis - alternative MH definition* AND chemical dependency	46	38.3%	3	25.4%	50	37.1%	54	20.9%	6	21.0%	60	20.9%	100	26.5%	10	22.2%	110	26.0%

Note: The alternative definition of significant mental illness includes in-patient and out-patient treatment in the past two years in addition to mental illnesses listed in this table.



**185. People with any serious or chronic disability (mental illness, substance abuse disorder, or other condition that limits work or activities of daily living).**

**Statewide Veterans**

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	133	86.1%	18	74.8%	123	86.7%	7	62.6%	80	95.2%	7	87.5%
No	21	13.9%	6	25.2%	19	13.3%	4	37.4%	4	4.8%	1	12.5%
<b>Total</b>	154	100%	24	100%	141	100%	12	100%	84	100%	8	100%

**185. People with any serious or chronic disability (mental illness, substance abuse disorder, or other condition that limits work or activities of daily living).**  
(continued)

**Statewide Veterans Totals**

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	111	91.5%	8	63.0%	<b>119</b>	<b>88.8%</b>	224	86.9%	24	78.2%	<b>248</b>	<b>86.0%</b>	335	88.4%	32	73.9%	<b>367</b>	<b>86.9%</b>
No	10	8.5%	5	37.0%	<b>15</b>	<b>11.2%</b>	34	13.1%	7	21.8%	<b>40</b>	<b>14.0%</b>	44	11.6%	11	26.1%	<b>55</b>	<b>13.1%</b>
<b>Total</b>	121	100%	12	100%	<b>134</b>	<b>100.0%</b>	258	100%	31	100%	<b>289</b>	<b>100.0%</b>	379	100%	43	100%	<b>422</b>	<b>100.0%</b>

**186. Have you ever received outpatient care from a counselor, psychologist, or mental health worker because of nervousness, depression or mental health problems?**

**Statewide Veterans**

<i>By Shelter Type</i>	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	66	44.5%	14	57.1%	79	58.3%	6	55.7%	43	51.8%	5	62.5%
No	83	55.5%	10	42.9%	57	41.7%	5	44.3%	40	48.2%	3	37.5%
<b>Total</b>	149	100%	24	100%	136	100%	12	100%	83	100%	8	100%

**186. Have you ever received outpatient care from a counselor, psychologist, or mental health worker because of nervousness, depression or mental health problems?**  
(continued)

**Statewide Veterans Totals**

<i>By Geographic Comparisons</i>	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	71	58.8%	8	63.0%	<b>79</b>	<b>59.2%</b>	118	47.5%	17	55.6%	<b>135</b>	<b>48.4%</b>	189	51.2%	25	57.7%	<b>214</b>	<b>51.9%</b>
No	49	41.2%	5	37.0%	<b>54</b>	<b>40.8%</b>	130	52.5%	14	44.4%	<b>144</b>	<b>51.6%</b>	180	48.8%	18	42.3%	<b>198</b>	<b>48.1%</b>
<b>Total</b>	120	100%	12	100%	<b>133</b>	<b>100.0%</b>	248	100%	31	100%	<b>279</b>	<b>100.0%</b>	368	100%	43	100%	<b>412</b>	<b>100.0%</b>

187. For those who received outpatient care because of nervousness, depression, or mental health problems, was that during the past two years?

Statewide Veterans

By Shelter Type	Emergency shelter / Domestic violence shelter				Transitional housing / Rapid Re-housing				Non-shelter locations			
	Male		Female		Male		Female		Male		Female	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	53	84.9%	8	59.4%	57	71.5%	4	100%	34	82.9%	4	80.0%
No	9	15.1%	5	40.6%	23	28.5%	-	-	7	17.1%	1	20.0%
<b>Total</b>	<b>62</b>	<b>100%</b>	<b>14</b>	<b>100%</b>	<b>79</b>	<b>100%</b>	<b>4</b>	<b>100%</b>	<b>41</b>	<b>100%</b>	<b>5</b>	<b>100%</b>

187. For those who received outpatient care because of nervousness, depression, or mental health problems, was that during the past two years?  
(continued)

Statewide Veterans Totals

By Geographic Comparisons	Greater Minnesota						Metro						Statewide					
	Male		Female		Total		Male		Female		Total		Male		Female		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Yes	60	88.9%	8	100%	<b>68</b>	<b>90.0%</b>	83	72.6%	8	56.6%	<b>92</b>	<b>70.7%</b>	143	78.6%	16	71.5%	<b>159</b>	<b>77.8%</b>
No	8	11.1%	-	-	<b>8</b>	<b>10.0%</b>	31	27.4%	6	43.4%	<b>38</b>	<b>29.3%</b>	39	21.4%	6	28.5%	<b>45</b>	<b>22.2%</b>
<b>Total</b>	<b>68</b>	<b>100%</b>	<b>8</b>	<b>100%</b>	<b>75</b>	<b>100.0%</b>	<b>115</b>	<b>100%</b>	<b>15</b>	<b>100%</b>	<b>130</b>	<b>100.0%</b>	<b>182</b>	<b>100%</b>	<b>23</b>	<b>100%</b>	<b>205</b>	<b>100.0%</b>